

# MINI 14/MINI 30® TELESCOPING PISTOL GRIP STOCK - CHOATE MINI 14/30® M4 TELESCOPING STOCK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

We've taken our Mini 14/30 Pistol Grip stock and added our telescoping M4 stock. We used a solid aluminum adapter housing to allow the M4 stock to be attached to the Mini 14/ Mini 30 pistol grip stock. This stock offers the most versatile length of pull you will find. It will go from youth to adults length with just one the stock. LOP range is 12 to 15 3/4 inches. These stocks fit the 181 and up series only.



## Attributes

- Name: [CHOATE MINI 14/30® M4 TELESCOPING STOCK](#)
- Manufacturer: [CHOATE](#)
- Product no.: 000003944
- Mfr. No.: 07-01-42
- Color: Black
- Make: Ruger
- Material: Aluminum
- Model: Mini-30,Mini-14
- Delivery weight: 1.043kg

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for MINI 14/MINI 30® Telescoping Pistol Grip Stock
- About Us

# **Safety Instruction Guide for MINI 14/MINI 30® Telescoping Pistol Grip Stock**

## **Introduction**

Thank you for choosing the MINI 14/MINI 30® Telescoping Pistol Grip Stock by Choate. This guide is designed to provide you with important safety information and instructions to ensure the safe use of the product. Please read this guide carefully before installation and usage.

## **General Safety Guidelines**

- Always follow local laws and regulations regarding firearm accessories.
- Ensure that the firearm is unloaded before installation or adjustments.
- Keep the stock and all firearm components out of reach of children and unauthorized users.
- Inspect the stock regularly for any signs of wear or damage.
- Do not use the stock if it is damaged or malfunctioning.
- Report any unsafe product occurrences or accidents to the relevant authorities.

## **Specific Safety Precautions for Use**

- Use the stock only with compatible models: Mini30 and Mini14.
- Ensure that the length of pull (LOP) is adjusted appropriately for the user to maintain control and stability.
- Avoid using excessive force when adjusting the telescoping mechanism.
- Do not modify the stock in any way that could compromise its safety or functionality.
- Always wear appropriate eye protection when using firearms.

## **Instructions for Installation and Usage**

### **Installation**

1. Ensure that the firearm is completely unloaded.
2. Remove the existing stock from the Mini 14 or Mini 30.
3. Attach the aluminum adapter housing to the pistol grip stock.
4. Align the M4 telescoping stock with the adapter housing.
5. Secure the stock in place according to the manufacturer's instructions.
6. Adjust the length of pull to suit the user, ranging from 12 to 15 3/4 inches.

### **Usage**

- Familiarize yourself with the stock's features before use.
- Regularly check the stability of the stock during use.
- Adjust the stock length as needed for optimal comfort and control.
- Practice safe handling and storage of the firearm at all times.

## **Disposal Instructions**

- Dispose of the stock in accordance with local regulations.
- If the stock is damaged beyond repair, ensure it is disposed of safely to prevent accidental use.
- Recycle materials where possible, following local recycling guidelines.

## **Contact Information for Further Support**

For any questions or concerns regarding the MINI 14/MINI 30® Telescoping Pistol Grip Stock, please refer to the

manufacturer's contact information or website for assistance.

## **Conclusion**

Your safety is our priority. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your MINI 14/MINI 30® Telescoping Pistol Grip Stock. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

# About Us

## **Brownells Europe**

### **Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300   
Warwick   
CV34 9BR

[www.brownells.eu](http://www.brownells.eu)