


AR-15/M16 SLING SWIVEL STAKING TOOL - BROWNELLS AR-15 FRONT SLING SWIVEL STAKING TOOL

[Gunsmith Tools](#) > [Rifle Tools](#) > [Staking Tools](#)

Makes Installing The Front Sling Swivel Rivet Fast & Easy

Precision-machined steel tool eliminates the struggle of staking an original, M16-style front sling swivel rivet with a hammer and punch. Wide throat easily fits around the swivel and dual, screw-adjustable stakes with large, easy-to-grasp handles let you apply just the right amount of pressure to quickly and accurately expand the rivet for a neat, factory-finish job—no slips or dings.



Attributes

- Name: [BROWNELLS AR-15 FRONT SLING SWIVEL STAKING TOOL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000756
- Mfr. No.:
- Weapon type: AR-15
- Delivery weight: 0.249kg
- Shipping height: 8mm
- Shipping width: 89mm
- Shipping length: 152mm
- UPC: 050806109841

Item details

Made in USA

Table of Contents

- Startpage
- AR15/M16 Sling Swivel Staking Tool Safety Instructions
- About Us

AR15/M16 Sling Swivel Staking Tool Safety Instructions

Introduction

Thank you for choosing the AR15/M16 Sling Swivel Staking Tool by Brownells. This tool is designed to assist you in safely and effectively staking an original, M16style front sling swivel rivet. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the tool is used only for its intended purpose.
- Always inspect the tool for damage or wear before use.
- Keep the tool out of reach of children and vulnerable individuals.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, while using the tool.
- If you notice any irregularities during use, stop immediately and inspect the tool.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use the tool on a stable, nonslip surface to prevent accidental slips.
- Do not apply excessive force that may damage the tool or cause injury.
- Ensure that hands and other body parts are clear of the staking area during operation.
- Avoid using the tool near flammable materials or in explosive environments.
- Do not modify the tool in any way that could compromise its safety or functionality.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including the AR15/M16 Sling Swivel Staking Tool and the front sling swivel rivet.
- Ensure your workspace is clean and organized.

2. Setting Up the Tool:

- Place the front sling swivel rivet in the designated area of the tool.
- Adjust the dual, screwadjustable stakes to fit securely around the swivel.

3. Staking Process:

- Hold the tool firmly with both hands, ensuring your fingers are clear of the staking area.
- Gradually apply pressure to the stakes using the large, easytogradasp handles.
- Monitor the expansion of the rivet closely to achieve a neat, factoryfinish job.
- Once complete, release the pressure and carefully remove the tool.

4. PostUsage:

- Inspect the rivet to ensure it has been properly staked.
- Clean the tool after use to maintain its condition.

Disposal Instructions

- Dispose of the tool according to local regulations for metal products.
- Do not dispose of the tool in regular household waste.
- If the tool is damaged beyond repair, consider recycling it at a designated facility.

Contact Information for Further Support

For any questions or concerns regarding the use of the AR15/M16 Sling Swivel Staking Tool, please reach out to the appropriate support channels as indicated on the product packaging or documentation.

By following these safety instructions, you can ensure a safe and effective experience with the AR15/M16 Sling Swivel Staking Tool. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk