

RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2" - DAVIDE PEDERSOLI S.R.L RIFLE ADJ TANG CREEDMOOR UNIVERSAL MIDDLE RANGE 2" BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Superb Long-Range Accuracy & The Right Period Styling

Named after the famous range on Long Island that hosted many long-range rifle competitions in the 1870s and '80s, the Creedmoor ladder-type sight is fully adjustable for windage and elevation and works equally well on cartridge rifles and muzzleloaders. Sight is precision machined from steel and attaches to tang with supplied setscrews and folds down when not in use. The Universal model is available in middle-range 2" and long-range 3" heights. The windage adjustment mechanism is on the eyepiece, allowing the eyepiece to be dropped close to the base for close-in shots. The Soule model provides maximum adjustability to fit any hunting or target shooting conditions. Elevation is adjustable in precise increments of 1 MOA, and one full turn of the windage knob moves the point of aim left or right by 2½ MOA in ½ minute increments. Large knurled knob at the sight base allows fast, accurate return to center or previous setting. Choice of Short, Middle, and Long Range models. The "Goodwin" style sight was a popular sight for long range shooters in the late 1800s. The "flag" position allows for a very wide windage adjustment range of 1.26". The elevation adjustment on the Goodwin has a range of 3.94". With the Goodwin's structure, the chamber can be easily accessed for cleaning or inspection. The Goodwin also has a "tilt" screw that allows the staff to be perfectly vertical at all elevations.



Attributes

- Name: [DAVIDE PEDERSOLI S.R.L RIFLE ADJ TANG CREEDMOOR UNIVERSAL MIDDLE RANGE 2" BLACK](#)
- Manufacturer: [DAVIDE PEDERSOLI S.R.L](#)
- Product no.: 100002377
- Mfr. No.: USA 465
- Colour: Black
- Style: Adjustable,Tang Sights
- Weapon type: Universal Rifles
- Delivery weight: 0.249kg
- Shipping height: 43mm
- Shipping width: 117mm
- Shipping length: 216mm

Table of Contents

- [Startpage](#)
- [RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2" Safety Instruction Guide](#)
- [About Us](#)

RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2"

Safety Instruction Guide

Introduction

Thank you for choosing the RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2" from DAVIDE PEDERSOLI S.R.L. This product is designed for precision shooting and is equipped with adjustable features to enhance your shooting experience. To ensure safe and effective use, please read this safety instruction guide carefully before installation and use.

General Safety Guidelines

- Always treat your rifle and its components as if they are loaded.
- Ensure that the product is suitable for your specific rifle model before installation.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- Use the product only for its intended purpose.
- Follow all local laws and regulations regarding firearm use and safety.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the sight is securely attached to the rifle tang before use.
- Avoid adjusting the sight while aiming at a target.
- Always check the windage and elevation settings before shooting.
- Do not use the sight if it is damaged or malfunctioning.
- When cleaning or inspecting the rifle, ensure that the sight does not obstruct access to the chamber.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation Steps:

- Gather all necessary tools, including the supplied setscrews and a screwdriver.
- Align the sight with the elongated rear mounting hole on your rifle.
- Use the supplied setscrews to securely attach the sight to the tang of the rifle.
- Ensure that the sight folds down when not in use to prevent damage.

2. Adjusting the Sight:

- To adjust windage, turn the knob located on the eyepiece.
- For elevation adjustments, turn the elevation knob in precise increments of 1 MOA.
- Remember that one full turn of the windage knob adjusts the point of aim by 2½ MOA.

3. Using the Sight:

- When preparing to shoot, ensure that the eyepiece is positioned correctly for your eye.
- Make adjustments as needed based on the shooting distance and conditions.
- After shooting, return the sight to its folded position to protect it from damage.

Disposal Instructions

- Do not dispose of the product with regular household waste.
- Follow local regulations for disposal of metal and mechanical components.
- If the product is damaged or no longer usable, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries or further support regarding the RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2", please consult the manufacturer's website or contact your local dealer. Ensure you have the product details ready for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your RIFLE CREEDMOOR UNIVERSAL MIDDLE RANGE 2". Thank you for prioritizing safety in your shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk