

AR-15 TACTICAL BATTLE REAR SIGHT - TROY INDUSTRIES AR-15 FIXED TACTICAL BATTLE REAR SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Continuous Zero Fixed Rear Battle Sight For Improved Accuracy & Durability

Tactical backup sight is always deployed, so there's absolutely no delay, no fumbling when you need to transition from the primary optic. Troy designed this sight to be simple, rugged, and reliable—and it takes up only 1-1/8" of rail space. Precision machined from solid aluminum, with plenty of metal on the protective "ears" around the two-position aperture. All edges and corners are rounded, and there are no protruding knobs or levers to catch on brush, clothing, or other equipment. Rear of the base is undercut to provide clearance for access to the charging handle. Same-plane aperture flips easily between .190" and .070" diameter peeps, just like the Folding Rear Battle Sight. Windage adjustable in ½ MOA clicks using a coin in the slot of the flush A1-style detent-locking adjustment wheel. Clamps to any Picatinny rail; installs with a standard flathead screwdriver.



Attributes

- Name: [TROY INDUSTRIES AR-15 FIXED TACTICAL BATTLE REAR SIGHT BLACK](#)
- Manufacturer: [TROY INDUSTRIES](#)
- Product no.: 100004381
- Mfr. No.: SSIG-FRS-R0BT-00
- Colour: Black
- Style: Fixed
- Weapon type: AR-15
- Delivery weight: 0.068kg
- Shipping height: 8mm
- Shipping width: 145mm
- Shipping length: 201mm
- UPC: 812699011010

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Tactical Battle Rear Sight](#)
- [About Us](#)

Safety Instruction Guide for AR15 Tactical Battle Rear Sight

Introduction

Thank you for choosing the AR15 Tactical Battle Rear Sight by Troy Industries. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

To ensure the safety of yourself and others while using the AR15 Tactical Battle Rear Sight, please adhere to the following guidelines:

- Always handle your firearm with care and assume it is loaded.
- Ensure the sight is securely attached to the firearm before use.
- Regularly inspect the sight for any signs of damage or wear.
- Do not attempt to modify or repair the sight; contact a qualified professional for assistance.
- Keep the sight and firearm out of the reach of children and unauthorized individuals.
- Use the sight only for its intended purpose and in accordance with the manufacturer's instructions.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

When using the AR15 Tactical Battle Rear Sight, please observe the following safety precautions:

- Do not look through the sight while handling the firearm unless you are in a safe shooting position.
- Always use appropriate eye and ear protection when shooting.
- Ensure that the sight is adjusted properly for your shooting needs before firing.
- Be mindful of the sight's position to avoid obstruction from clothing or other gear.
- If you experience any issues with the sight, cease use immediately and consult a professional.

Instructions for Installation and Usage

Follow these steps to install and use the AR15 Tactical Battle Rear Sight safely:

Installation Steps

1. **Gather Required Tools:** You will need a standard flathead screwdriver for installation.
2. **Select Rail Position:** Choose a suitable position on your Picatinny rail for mounting the sight.
3. **Loosen Mounting Screw:** Using the flathead screwdriver, loosen the mounting screw on the sight.
4. **Attach the Sight:** Align the sight with the Picatinny rail and slide it into position.
5. **Secure the Sight:** Tighten the mounting screw firmly to ensure the sight is securely attached.
6. **Check Alignment:** Verify that the sight is properly aligned with your primary optic.

Usage Instructions

1. **Adjusting the Aperture:** Flip the sameplane aperture between .190" and .070" diameter peeps as needed.
2. **Windage Adjustment:** Use a coin to adjust windage in ½ MOA clicks via the flush A1style detentlocking adjustment wheel.
3. **Transitioning from Primary Optic:** When transitioning from your primary optic, ensure the backup sight is ready for immediate use.
4. **Routine Checks:** Regularly check the sight for secure attachment and proper function before each use.

Disposal Instructions

When it comes time to dispose of the AR15 Tactical Battle Rear Sight, please follow these guidelines:

- Do not dispose of the sight in regular household waste.
- Check local regulations regarding the disposal of firearm accessories.
- If the sight is damaged beyond repair, consider recycling the materials if possible.
- For further disposal options, consult with a local waste management authority.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Tactical Battle Rear Sight, please refer to the manufacturer's official resources or contact your local dealer for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your AR15 Tactical Battle Rear Sight. Always prioritize safety and responsible handling of your firearm. Thank you for your attention to these important details.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk