

1911 AUTO REVERSE PLUG RETENTION CLIP - COMPETITIVE EDGE DYNAMICS REVERSE PLUG RETENTION CLIP

[Gunsmith Tools](#) > [Handgun Tools](#) > [Takedown Tools](#)

Retains Reverse Plug & Spring On Guide Rod During Field Stripping

Handy steel clip slips over a full-length guide rod and securely retains the reverse plug and spring when field stripping a 1911. Acts like a "third hand" to keep the spring and plug on the rod while you remove or install the slide. Eliminates the need for improvised tools like small nails or paper clips that can fall out and cause a safety hazard by unexpectedly launching the spring, plug, or rod across the shop.



Attributes

- Name: [COMPETITIVE EDGE DYNAMICS REVERSE PLUG RETENTION CLIP](#)
- Manufacturer: [COMPETITIVE EDGE DYNAMICS](#)
- Product no.: 100004616
- Mfr. No.: 300033
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 AUTO REVERSE PLUG RETENTION CLIP
- About Us

Safety Instruction Guide for 1911 AUTO REVERSE PLUG RETENTION CLIP

Introduction

Thank you for choosing the 1911 Auto Reverse Plug Retention Clip by Competitive Edge Dynamics. This product is designed to enhance your experience while field stripping your 1911 firearm. Please read this safety instruction guide carefully to ensure safe and effective use of the clip.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the clip for any signs of wear or damage before use.
- In case of any malfunction or safety concern, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before using the clip.
- Use the clip only on compatible models: Government, Commander, and Officers.
- Do not use improvised tools in conjunction with the clip, as this may lead to unsafe conditions.
- Avoid placing your face or body in the path of the spring or plug during installation or removal.
- Be aware of your surroundings and ensure that no one is in close proximity when using the clip.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and the 1911 Auto Reverse Plug Retention Clip.

2. Installation:

- Slip the steel clip over the fulllength guide rod of your 1911.
- Position the clip securely to retain the reverse plug and spring.

3. Field Stripping:

- While holding the slide, carefully remove the clip to release the spring and plug.
- Proceed with the installation or removal of the slide as needed, ensuring that the spring and plug remain secure.

4. Reinstallation:

- After field stripping, reattach the clip to retain the spring and plug during reassembly.
- Ensure that the clip is securely in place before completing the reassembly of the firearm.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- If the clip is damaged or no longer functional, do not attempt to repair it; dispose of it safely.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please consult your local retailer or the manufacturer's website for assistance.

Thank you for prioritizing safety while using the 1911 Auto Reverse Plug Retention Clip. Your adherence to these guidelines is essential for ensuring a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk