

BIPOD/SLING STUD FOR CUSTOMIZABLE TUBE - YANKEE HILL MACHINE CO., INC. BIPOD/SLING STUD

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Sling Swivel Studs](#)

Steel Bipod/Sling Stud screws directly into underside of handguard to provide a rock-solid mounting point for a Harris-style bipod. Also serves as an ultra-secure, heavy-duty sling swivel mount.



Attributes

- Name: [YANKEE HILL MACHINE CO., INC. BIPOD/SLING STUD](#)
- Manufacturer: [YANKEE HILL MACHINE CO., INC.](#)
- Product no.: 100005267
- Mfr. No.: YHM-262
- Material: Steel
- Style: Rifle Swivels
- Delivery weight: 0.045kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for BIPOD/SLING STUD](#)
- [About Us](#)

Safety Instruction Guide for BIPOD/SLING STUD

Introduction

Thank you for choosing the BIPOD/SLING STUD from Yankee Hill Machine Co., Inc. This guide provides essential safety instructions, installation procedures, and usage guidelines to ensure your product operates safely and effectively. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure the BIPOD/SLING STUD is used only as intended for mounting Harrisstyle bipods and sling swivels.
- Always inspect the product for any damage or wear before installation and use.
- Keep the product out of reach of children to prevent accidental injury.
- Do not modify the BIPOD/SLING STUD in any way, as this may compromise safety.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the BIPOD/SLING STUD only with compatible Yankee Hill customizable series freefloat handguards.
- Ensure that the threaded portion of the stud is securely fastened to avoid detachment during use.
- Do not exceed the recommended weight limit for the bipod or sling attached to the stud.
- Avoid using the BIPOD/SLING STUD in extreme weather conditions that may affect its performance.
- Regularly check the tightness of the stud to ensure it remains securely mounted.

Instructions for Installation and Usage

1. Installation

- Ensure you have the following tools ready: a screwdriver or wrench compatible with the stud.
- Locate the underside of the handguard where you will install the BIPOD/SLING STUD.
- Align the threaded portion of the stud with the mounting point on the handguard.
- Screw the stud into place until it is firmly secured. Do not overtighten, as this may damage the handguard.
- Verify that the stud is installed correctly by gently pulling on it to ensure it is secure.

2. Usage

- Attach your Harrisstyle bipod or sling to the BIPOD/SLING STUD.
- Ensure that the attachment is secure before using the bipod or sling.
- When using the bipod, ensure that the ground is stable to prevent tipping or instability.
- After use, detach the bipod or sling and store the BIPOD/SLING STUD in a safe place.

Disposal Instructions

- Dispose of the BIPOD/SLING STUD in accordance with local regulations.
- If the product is damaged beyond repair, ensure it is disposed of in a way that prevents any potential hazards.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please reach out to your local distributor or the manufacturer directly.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk