

MFR XS FREE FLOAT M-LOK HANDGUARD - DANIEL DEFENSE MFR XS HANDGUARD FREE FLOAT ALUMINUM 10" BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Easy Handling & Plenty Of Room For Accessories

Daniel Defense's MFR XS M-LOK free-floating handguard combines the popular M-LOK accessory attachment system with excellent weight savings, as well as superior cooling and ergonomics. Daniel Defense employs a unique bolt-on system that lets you attach the MFR XS to a standard AR-15 barrel nut, which helps keep the outside diameter of this handguard to a minimum, making it easy to grasp, helping you control your rifle. The Daniel Defense MFR XS M-LOK handguard offers seven rows of M-LOK attachment points on the sides and bottom, along with an uninterrupted MIL-STD 1913 Picatinny top rail. Integrated in both the left and right side rails are ambidextrous QD pushbutton sling swivel attachment points. Machined 6061 T6 aluminum Type III hardcoat anodized finish Grade 8 military specification fasteners Anti-rotation tabs to keep the handguard aligned with the receiver. The Daniel Defense MFR XS M-LOK handguard can be used with a pinned low-profile gas block on pistol, carbine, mid-length or rifle length gas systems.



Attributes

- Name: [DANIEL DEFENSE MFR XS HANDGUARD FREE FLOAT ALUMINUM 10" BLACK](#)
- Manufacturer: [DANIEL DEFENSE](#)
- Product no.: 100024354
- Mfr. No.: 01-107-09348
- Colour: Black
- Length: 10
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Delivery weight: 0.567kg
- Shipping height: 99mm
- Shipping width: 112mm
- Shipping length: 361mm
- UPC: 815604019781

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for MFR XS Free Float MLOK Handguard
- About Us

Safety Instruction Guide for MFR XS Free Float MLOK Handguard

Introduction

Thank you for choosing the MFR XS Free Float MLOK Handguard by Daniel Defense. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your handguard. Please read and follow these guidelines carefully.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the handguard by following all instructions provided in this guide.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. Check the EU's Safety Gate platform for updates.
- **Online Shopping Protections:** If purchased online, ensure that the seller complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the provided contact points from your retailer.
- **Rapid Alerts:** Monitor the Safety Gate system for any rapid alerts regarding unsafe products.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure that the handguard is installed correctly according to the instructions.
- Do not attempt to modify or alter the handguard in any way.

• Usage Precautions:

- Always use the handguard with compatible AR15 barrel nuts.
- Avoid using the handguard with damaged or worn components.
- Regularly inspect the handguard for any signs of wear or damage.
- Ensure that the handguard is secure before using the firearm.

• Handling Precautions:

- Handle the firearm with care, ensuring that it is pointed in a safe direction at all times.
- Wear appropriate safety gear, such as eye protection, when handling firearms.

Instructions for Installation and Usage

1. Installation:

- Gather necessary tools: You will need a standard AR15 barrel nut wrench and appropriate fasteners.
- Remove the existing handguard from your firearm following the manufacturer's instructions.
- Align the MFR XS handguard with the barrel nut and slide it into place.
- Secure the handguard using the Grade 8 military specification fasteners provided.
- Ensure that the antirotation tabs are properly aligned with the receiver.
- Check the alignment and security of the handguard before proceeding.

2. Usage:

- Attach accessories using the MLOK attachment points, ensuring they are secured properly.
- Utilize the ambidextrous QD pushbutton sling swivel attachment points for sling attachments.
- Maintain a proper grip on the handguard while aiming and shooting.
- Ensure that your shooting stance is stable and secure.

Disposal Instructions

- Dispose of the handguard in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the handguard in regular household waste.
- If the handguard is damaged beyond repair, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MFR XS Free Float MLOK Handguard, please refer to the contact information provided by your retailer or manufacturer. Always ensure that you are following the latest safety guidelines and instructions.

Thank you for prioritizing safety and compliance while using your MFR XS Free Float MLOK Handguard. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk