

# 45 CALIBER (0.458") 500GR DGX BULLETS - 45 CALIBER (0.458") 500GR DGX 50/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

The 45 Caliber (0.458") 500 grain DGX® Bonded (Dangerous Game™ eXpanding) bullet features a copper-clad steel jacket bonded to a lead core to provide limited, controlled expansion with deep penetration and high weight retention. Bonding the jacket to the core prevents separation from high-energy impact on tough material like bone, ensuring the bullet stays together for deep expansion. DGX® Bonded bullets are built to the same profile as the corresponding DGS® (Dangerous Game™ Solid) bullets but expand to 1½ to 2 times their bullet diameter.



## Attributes

- Name: [45 CALIBER \(0.458"\) 500GR DGX 50/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100028449
- Mfr. No.: 45054
- Ballistic Coefficient (G1): 0.295
- Bullet Style: DGX
- Caliber: 45 Caliber
- Diameter (in): 0.458
- Grain: 500
- Sectional Density: 0.341
- Quantity: 50
- Delivery weight: 1.633kg
- Shipping height: 51mm
- Shipping width: 89mm
- Shipping length: 102mm
- UPC: 090255450545

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 45 Caliber \(0.458"\) 500GR DGX Bullets](#)
- [About Us](#)

# Safety Instruction Guide for 45 Caliber (0.458") 500GR DGX Bullets

## Introduction

Thank you for choosing the 45 Caliber (0.458") 500GR DGX Bullets. This guide provides essential safety instructions and information to ensure the safe use of this product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding the use of ammunition.
- Always store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized persons.
- Inspect ammunition for any signs of damage before use.
- Use appropriate protective equipment, such as safety glasses and hearing protection, when handling or firing ammunition.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Only use this ammunition in firearms that are specifically chambered for .458 caliber cartridges.
- Do not modify the ammunition or firearm in any way that could affect safety or performance.
- Avoid using this ammunition in wet or damp conditions.
- Ensure that the firearm is in good working condition before use. Consult a qualified gunsmith if unsure.
- Follow all manufacturer instructions for your firearm when using this ammunition.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### • Installation:

- Load the ammunition following the specific loading instructions for your firearm.
- Ensure that the bullet is seated correctly in the chamber.

### • Usage:

- Always point the firearm in a safe direction when loading or unloading.
- Keep your finger off the trigger until you are ready to shoot.
- Maintain a proper shooting stance and grip on the firearm.
- After firing, inspect the firearm and ammunition for any signs of malfunction or damage.
- Store any unused ammunition in its original packaging and in a secure location.

## Disposal Instructions

- Dispose of any damaged or expired ammunition in accordance with local regulations.
- Do not throw ammunition in the regular trash.
- Contact local waste management authorities for guidance on safe disposal methods.
- Ensure that all spent casings are collected and disposed of properly.

## **Contact Information for Further Support**

For any questions or concerns regarding the 45 Caliber (0.458") 500GR DGX Bullets, please reach out to the manufacturer or consult a qualified professional.

Thank you for prioritizing safety and responsible use of your ammunition.

# About Us

## Brownells Česká republika

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)