

HOWA 1500 SA GRS BIFROST STOCK BROWN

Offers Ultimate Built-In Adjustment

In the market for a rifle stock that can perfectly adjust to your body? The GRS Stocks Bifrost stock offers an unprecedented range of adjustment for today's modern shooter, enabling them to take their Howa 1500 to new heights. Each GRS Stocks Bifrost stock is equipped with the same elements of the company's Speedlock Adjustment system, allowing for comb-height and length-of-pull adjustments. However, the Bifrost is loaded with the Speedlock 2.0, which also provides a height- and cant-adjustable butt pad, giving shooters the tools they need to find the perfect fit. Built with 6-degree grip angle Includes 0.5-inch Limbsaver recoil pad Weighs about 2.8 pounds, depending on inlet choice Includes two Picatinny rails and QD sling loops



Attributes

- Name: HOWA 1500 SA GRS BIFROST STOCK BROWN
- Manufacturer: GRS RIFLESTOCKS
- Product no.: 100029833
- Mfr. No.: 104139
- Action Type: Short
- Color: Brown
- Make: Howa
- Material: Fiberglass
- Model: 1500
- Style: Chassis
- Delivery weight: 1.814kg

Item details

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for HOWA 1500 SA GRS BIFROST STOCK](#)
- [Español: Guía de Instrucciones de Seguridad del Producto](#)

Safety Instruction Guide for HOWA 1500 SA GRS BIFROST STOCK

Introduction

Thank you for choosing the HOWA 1500 SA GRS BIFROST STOCK. This guide provides important safety instructions and guidelines to ensure the safe use of your rifle stock. Please read this manual carefully before installation and use.

General Safety Guidelines

- Always treat your rifle as if it is loaded, even if you believe it is not.
- Keep the rifle pointed in a safe direction at all times.
- Ensure that the rifle is stored securely and out of reach of children and unauthorized users.
- Always wear appropriate eye and ear protection when using the rifle.
- Familiarize yourself with local laws and regulations regarding firearm usage and storage.
- Regularly inspect the stock and rifle for any signs of wear or damage before each use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the stock is compatible with your specific model of the Howa 1500 before installation.
- Avoid using the stock if it shows any signs of damage or wear.
- Do not exceed the manufacturer's recommended weight limits for accessories attached to the stock.
- Be cautious when adjusting the Speedlock 2.0 system to avoid pinching fingers or causing injury.
- Always ensure that the butt pad is securely attached and adjusted to the correct height before use.
- Do not modify the stock in any way that could compromise its safety or functionality.

Instructions for Installation and Usage

Installation

1. **Preparation:** Gather all necessary tools and ensure you have a clean workspace.
2. **Remove the Old Stock:** Carefully detach the existing stock from your Howa 1500 by following the manufacturer's instructions.
3. **Attach the GRS Bifrost Stock:**
 - Align the action of the rifle with the stock.
 - Securely fasten the screws provided with the stock to ensure a tight fit.
4. **Adjust the Speedlock 2.0 System:**
 - Adjust the comb height and length of pull according to your preference.
 - Make sure the butt pad is adjusted for height and cant to fit your shoulder.
5. **Final Checks:** Inspect all connections and adjustments to ensure everything is secure.

Usage

- When using the rifle, maintain proper shooting posture to ensure stability and accuracy.
- Regularly check the adjustments made to the stock during use, especially if you are using it for extended periods.
- Clean the stock according to the manufacturer's recommendations to maintain its integrity and appearance.

Disposal Instructions

- Dispose of the stock in accordance with local regulations regarding plastic and fiberglass materials.
- Do not burn the stock as it may release harmful substances.
- If the stock is damaged beyond use, contact your local waste management facility for proper disposal options.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the HOWA 1500 SA GRS BIFROST STOCK, please refer to the manufacturer's contact information provided with your product.

Guía de Instrucciones de Seguridad del Producto

Introducción

¡Felicidades por adquirir la culata GRS Bifrost para tu rifle Howa 1500! Este producto ha sido diseñado para ofrecerte una experiencia de tiro cómoda y ajustable. Sin embargo, es importante que sigas ciertas pautas de seguridad para garantizar un uso seguro y efectivo. Esta guía está basada en las Directrices Generales de Seguridad de Productos de la UE (GPSR) y te ayudará a entender cómo usar este producto de manera segura.

Directrices Generales de Seguridad

- Asegúrate de que el producto esté ensamblado correctamente antes de usarlo.
- Realiza un chequeo visual de la culata y el rifle antes de cada uso para detectar posibles daños.
- Mantén la culata y el rifle alejados de fuentes de humedad y calor.
- Almacena el rifle en un lugar seguro, fuera del alcance de niños y personas no autorizadas.
- Siempre usa protección ocular y auditiva al disparar.
- Familiarízate con las leyes locales sobre la posesión y uso de armas de fuego.

Precauciones de Seguridad Específicas para el Uso

- **Ajuste de la Culata:**
 - Asegúrate de que la culata esté ajustada adecuadamente a tu cuerpo antes de disparar.
 - No realices ajustes mientras el rifle está cargado.
- **Uso del Pad de Retroceso:**
 - Verifica que el pad Limbsaver esté en su lugar y en buen estado antes de usar el rifle.
 - Ajusta la altura y el ángulo del pad según tu comodidad.
- **Manipulación del Rifle:**
 - Siempre trata el rifle como si estuviera cargado.
 - Mantén el dedo fuera del gatillo hasta que estés listo para disparar.
- **Condiciones de Uso:**
 - No dispires en condiciones climáticas adversas que puedan afectar tu seguridad o la del rifle.
 - Evita disparar en áreas donde pueda haber personas o animales.

Instrucciones para la Instalación y Uso

1. Instalación de la Culata:

- Asegúrate de que el rifle esté descargado.
- Retira la culata antigua (si corresponde) siguiendo las instrucciones del fabricante.
- Coloca la culata GRS Bifrost en su lugar, asegurándote de que esté bien ajustada.
- Utiliza las herramientas adecuadas para apretar los tornillos de fijación.

2. Ajuste de la Culata:

- Usa el sistema Speedlock 2.0 para ajustar la altura de la mejilla y la longitud del tirón.
- Ajusta el pad de culata a la altura y ángulo deseados.

3. Uso del Rifle:

- Coloca el rifle en una posición estable y cómoda.
- Realiza un chequeo final de seguridad antes de disparar.

Instrucciones de Eliminación

- La culata GRS Bifrost y sus componentes deben ser eliminados de acuerdo con las normativas locales sobre residuos.
- Si el producto está dañado, consulta a un profesional sobre la mejor manera de desecharlo.
- No arrojes la culata en la basura normal; busca un centro de reciclaje adecuado.

Información de Contacto para Más Soporte

Si tienes preguntas sobre la seguridad del producto o necesitas asistencia adicional, te recomendamos que te pongas en contacto con el fabricante o un distribuidor autorizado. Asegúrate de tener a mano el número de modelo y cualquier otra información relevante.

Recuerda que la seguridad es tu responsabilidad. Siguiendo estas pautas, podrás disfrutar de tu culata GRS Bifrost de manera segura y efectiva. ¡Disfruta de tu experiencia de tiro!