

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.495" ROUND BALL 182.07GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.495" ROUND BALL 182.07GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032171
- Mfr. No.: 90450
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904500

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by Lee Precision. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Always prioritize safety when handling and using the mold.
- Ensure that you are familiar with the operation of your muzzleloader before using this mold.
- Keep the mold out of reach of children and vulnerable individuals.
- Regularly inspect the mold for any signs of damage or wear.
- Follow local laws and regulations regarding the use of muzzleloading equipment.

Specific Safety Precautions for Use

- Use the mold only for its intended purpose—casting round balls for muzzleloaders.
- Wear appropriate personal protective equipment (PPE), including safety glasses and heatresistant gloves, when using the mold.
- Ensure that the work area is wellventilated to avoid inhaling fumes from the casting process.
- Avoid touching the mold with bare skin when it is hot to prevent burns.
- Do not leave the mold unattended while it is in use.
- Ensure that the mold is securely clamped to a stable surface during operation.

Instructions for Installation and Usage

1. Setup:

- Place the mold on a stable, heatresistant surface.
- Ensure that the mold is clean and free of debris before use.

2. Heating the Mold:

- Preheat the mold using a suitable heat source to ensure even casting.
- Monitor the temperature to avoid overheating.

3. Casting:

- Melt the lead alloy in a casting pot according to the manufacturer's instructions.
- Carefully pour the melted lead into the mold cavities, avoiding overfilling.
- Allow the lead to cool and solidify before opening the mold.

4. Removing Cast Balls:

- Once cooled, gently open the mold to remove the cast round balls.
- Inspect each round ball for quality and consistency.

5. Cleaning:

- Clean the mold after each use to prevent buildup of lead and maintain performance.
- Store the mold in a dry place to prevent rust and corrosion.

Disposal Instructions

- Dispose of any lead waste and scrap materials in accordance with local regulations.
- Do not throw the mold or any components in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please refer to the manufacturer's contact details provided with the product packaging.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk