

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.350" ROUND BALL 64.36GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.350" ROUND BALL 64.36GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032173
- Mfr. No.: 90415
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904159

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.350" ROUND BALL 64.36GR ROUND DOUBLE CAVITY MOLD
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.350" ROUND BALL 64.36GR ROUND DOUBLE CAVITY MOLD

Introduction

Thank you for purchasing the Lee Round Ball Mould. This guide provides essential safety instructions to ensure the safe use of this product. Please read and follow these guidelines carefully to prevent accidents and injuries.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as a muzzleloading mould.
- Keep the mould out of reach of children and vulnerable individuals.
- Regularly inspect the mould for any signs of damage or wear before each use.
- Store the mould in a dry, cool place when not in use.
- Always use appropriate personal protective equipment (PPE), such as safety goggles and gloves, while handling the mould.

Specific Safety Precautions for Use

- Use the mould in a wellventilated area to avoid inhaling any fumes or smoke.
- Avoid using the mould near flammable materials or open flames.
- Do not exceed the recommended temperature limits when using the mould to prevent damage or injury.
- Always allow the mould to cool down completely before handling it after use.
- Be cautious of sharp edges and hot surfaces when using and cleaning the mould.

Instructions for Installation and Usage

1. Preparation:

- Ensure all tools and materials are clean and ready for use.
- Read the instructions provided with the mould carefully.

2. Setting Up the Mould:

- Secure the mould onto a stable surface or workbench.
- Attach the handles and ensure the sprue plate is properly aligned.

3. Using the Mould:

- Melt the lead according to the manufacturer's instructions, ensuring it is at the appropriate temperature.
- Pour the molten lead into the mould cavities carefully to avoid spills.
- Allow the lead to cool and solidify in the mould.

4. Removing the Cast Balls:

- Once the lead has cooled, open the mould carefully.
- Remove the cast balls gently to avoid damaging them or the mould.

5. Cleaning the Mould:

- Clean the mould after each use with a soft brush to remove any lead residue.
- Store the mould in a safe place when not in use.

Disposal Instructions

- Dispose of any waste materials, including lead scraps, in accordance with local regulations for hazardous materials.
- Do not dispose of the mould in regular household waste. Instead, follow local guidelines for the disposal of metal products.

Contact Information for Further Support

For any safety inquiries or concerns regarding the use of this product, please reach out to your local distributor or manufacturer. Ensure you have the product details on hand for reference.

This safety instruction guide is designed to comply with the EU General Product Safety Regulation (GPSR) and provide essential information for the safe usage of the Lee Round Ball Mould. Always prioritize safety and report any unsafe conditions or incidents to the appropriate authorities. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk