

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.360" ROUND BALL 70.04GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.360" ROUND BALL 70.04GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032174
- Mfr. No.: 90418
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904180

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

Introduction

Thank you for purchasing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by LEE PRECISION. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read and follow these instructions carefully to minimize risks and enhance your experience.

General Safety Guidelines

- Always use the product according to the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use. Do not use if damaged.
- Store the product in a cool, dry place when not in use.
- Follow local laws and regulations regarding the use of muzzleloading equipment.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Wear appropriate safety gear, including goggles and gloves, when handling molds.
- Ensure that the work area is wellventilated to avoid inhalation of fumes.
- Avoid contact with hot surfaces and molten lead to prevent burns.
- Use tools designed for handling hot materials to prevent accidents.
- Do not overload the mold with material beyond its capacity.
- Never leave the mold unattended while in use.

Instructions for Installation and Usage

1. Setup:

- Ensure that your work area is clean and free of flammable materials.
- Place the mold on a stable, heatresistant surface.

2. Heating the Mold:

- Preheat the mold using a suitable heat source until it reaches the desired temperature.
- Verify that the mold is securely closed before adding any material.

3. Pouring the Material:

- Carefully pour the molten lead into the mold cavity, ensuring not to overfill.
- Allow the lead to cool and solidify before removing the mold.

4. Removing the Cast:

- Once the lead has cooled, gently open the mold to remove the cast ball.
- Inspect the cast for any defects or irregularities.

5. Cleaning the Mold:

- Clean the mold after each use to prevent buildup of residue.
- Use a soft brush or cloth to remove any debris, and avoid using abrasive materials.

Disposal Instructions

- Dispose of any waste materials according to local regulations.
- Do not dispose of molten lead or hazardous materials in regular trash.
- Seek guidance from local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please refer to the manufacturer's contact information provided with your product.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS. Thank you for choosing LEE PRECISION.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk