

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.390" ROUND BALL 89.05GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.390" ROUND BALL 89.05GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032176
- Mfr. No.: 90424
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904241

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.390" ROUND BALL 89.05GR ROUND DOUBLE CAVITY MOLD
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.390" ROUND BALL 89.05GR ROUND DOUBLE CAVITY MOLD

Introduction

Thank you for choosing the LEE PRECISION Round Ball Double Cavity Mold. This guide provides important safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before using the mold.

General Safety Guidelines

- Ensure that the mold is used in a wellventilated area to avoid inhalation of fumes.
- Always wear appropriate personal protective equipment (PPE), including safety goggles and heatresistant gloves, when handling the mold.
- Keep the mold out of reach of children and pets to prevent accidents.
- Regularly inspect the mold for any signs of damage or wear before each use.
- Follow all local regulations and guidelines regarding the use of muzzleloading equipment.

Specific Safety Precautions for Use

- Do not exceed the recommended temperature when using the mold to prevent damage and ensure safety.
- Avoid using the mold near flammable materials to reduce the risk of fire.
- Use only recommended materials for casting to ensure safety and product integrity.
- Do not attempt to modify the mold or use it for purposes other than intended.
- Be cautious when handling molten lead; it can cause severe burns.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials including lead, a heat source, and safety equipment.
- Ensure the workspace is clean and free of any hazards.

2. Setup:

- Place the mold on a stable, heatresistant surface.
- Ensure that the sprue plate is properly attached and secured.

3. Heating:

- Heat the mold gradually to the recommended temperature.
- Monitor the temperature closely to avoid overheating.

4. Casting:

- Pour the molten lead into the mold cavities carefully.
- Allow adequate time for the lead to cool and solidify before removing from the mold.

5. PostUse:

- After use, allow the mold to cool completely before handling.
- Clean the mold with appropriate tools and materials to maintain its condition.

Disposal Instructions

- Dispose of any lead scraps or waste in accordance with local regulations regarding hazardous materials.
- Do not throw the mold in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact information included with your product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with the LEE PRECISION Round Ball Double Cavity Mold. Always prioritize safety and stay informed about best practices for using muzzleloading equipment. Thank you for your attention to these important details.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk