

# **MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.500" ROUND BALL 187.64GR ROUND DOUBLE CAVITY MOLD**

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



## **Attributes**

- Name: [LEE PRECISION 0.500" ROUND BALL 187.64GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032179
- Mfr. No.: 90452
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904524

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS
- About Us

# Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

## Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS from LEE PRECISION. This guide provides essential safety instructions to ensure the safe use of this product. Please read and understand all safety guidelines before using the moulds.

## General Safety Guidelines

- Always ensure that the mould is used in accordance with the manufacturer's instructions.
- Keep the mould out of reach of children and vulnerable individuals.
- Regularly inspect the mould for any signs of damage or wear before use.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the mould.
- Be aware of your surroundings and ensure that you are in a safe environment when using the mould.

## Specific Safety Precautions for Use

- Handle the mould with care to avoid injury from sharp edges.
- Ensure that the mould is securely clamped during use to prevent accidental movement.
- Avoid touching hot surfaces or components of the mould after use; allow it to cool down completely.
- Do not attempt to modify or alter the mould in any way.
- Store the mould in a dry, cool place when not in use to prevent damage.

## Instructions for Installation and Usage

### 1. Preparation:

- Before using the mould, ensure it is clean and free from debris.
- Check that the handles and sprue plate are properly attached.

### 2. Heating the Mould:

- Place the mould on a heat source to bring it to the appropriate temperature before pouring.
- Use a thermometer to monitor the temperature, ensuring it is suitable for the type of material being used.

### 3. Pouring:

- Carefully pour the molten material into the mould cavities.
- Avoid overfilling to prevent spillage.

### 4. Cooling:

- Allow the mould to cool naturally after pouring. Do not use water or other cooling methods as this may cause damage.

### 5. Removing the Casts:

- Once the mould has cooled, gently open the mould to remove the cast items.
- If necessary, use a soft tool to help release the casts without damaging the mould.

## Disposal Instructions

- Dispose of any waste materials in accordance with local regulations.
- Ensure that the mould is disposed of in a responsible manner if it is no longer usable. Check with local waste management authorities for guidelines.

## Contact Information for Further Support

For any inquiries or further support, please consult the manufacturer's website or customer service portal.

**Note:** This guide is in compliance with the EU General Product Safety Regulation (GPSR). Always prioritize safety and report any unsafe products or incidents to the appropriate authorities. For updates on product recalls, please check the EU's Safety Gate platform.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)