

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.535" ROUND BALL 229.87GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.535" ROUND BALL 229.87GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032180
- Mfr. No.: 90456
- Delivery weight: 0.408kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 734307904562

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.535" ROUND BALL 229.87GR ROUND DOUBLE CAVITY MOLD
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.535" ROUND BALL 229.87GR ROUND DOUBLE CAVITY MOLD

Introduction

Thank you for choosing the Lee Precision Muzzleloader Round Ball Double Cavity Mold. This guide provides essential safety instructions to ensure the safe use and handling of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- Always follow the manufacturer's instructions for use.
- Use the mold only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure you are wearing appropriate personal protective equipment (PPE), including safety goggles and heatresistant gloves when using the mold.
- Use the mold in a wellventilated area to avoid inhalation of fumes.
- Avoid using the mold near flammable materials or in explosive environments.
- Do not exceed the recommended temperature limits while using the mold.
- Ensure that the mold is securely clamped to a stable work surface before use to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Choose a stable, flat surface for mold operation.
- Secure the mold in a vice or clamp to prevent movement during use.
- Ensure that the sprue plate is properly aligned and tightened.

2. Usage:

- Preheat the mold before pouring to improve the quality of the round balls.
- Melt the lead according to the manufacturer's specifications.
- Carefully pour the molten lead into the mold cavities, filling them adequately but avoiding overflow.
- Allow the lead to cool and solidify before removing the round balls from the mold.
- Use a suitable tool to open the sprue plate and remove the finished round balls.
- Clean the mold after each use to maintain its condition and performance.

Disposal Instructions

- Dispose of any lead waste and scrap material in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Contact local waste management authorities for guidance on environmentally safe disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety and usage of the Lee Precision Muzzleloader Round Ball Double Cavity Mold, please refer to the manufacturer's website or contact the appropriate support channels.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Lee Precision product. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk