

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.562" ROUND BALL 266.46GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.562" ROUND BALL 266.46GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032181
- Mfr. No.: 90460
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.386kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904609

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by LEE PRECISION. This guide provides essential safety instructions and usage recommendations to ensure a safe and effective experience with your product. Please read this guide carefully before use.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the working area is clean, welllit, and free from hazards.
- Keep the product out of reach of children and vulnerable individuals.
- Wear appropriate personal protective equipment (PPE), such as gloves and safety glasses, when handling the mold.
- Regularly inspect the product for any signs of damage or wear. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only in wellventilated areas to avoid inhalation of fumes.
- Avoid contact with hot surfaces to prevent burns.
- Ensure that the mold is securely clamped to a stable surface during use.
- Never attempt to modify or alter the mold in any way.
- Follow all local regulations regarding the use of muzzleloading equipment.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that the mold is clean and free from debris.

2. Installation:

- Secure the mold to a stable work surface using clamps.
- Ensure that the sprue plate is properly aligned and functioning.

3. Usage:

- Preheat the mold according to the specifications provided by the manufacturer.
- Pour the molten lead carefully into the cavity, avoiding overfilling.
- Allow the lead to cool and solidify before removing the round balls from the mold.
- Use the sprue cutter to remove excess lead from the sprue plate.

4. PostUsage:

- Clean the mold thoroughly after each use to prevent buildup and ensure longevity.
- Store the mold in a dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any lead waste according to local regulations.
- Do not dispose of lead in regular household waste.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please refer to the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure the safe and effective use of your MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk