

# OFFSET OPTIC MOUNT - ARISAKA DEFENSE PLATE #1 STANDARD HEIGHT (1.5"-1.8") OPTIC PLATE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



## Attributes

- Name: [ARISAKA DEFENSE PLATE #1 STANDARD HEIGHT \(1.5"-1.8"\) OPTIC PLATE](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 100040406
- Mfr. No.: OOM-P1
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: -
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.032kg
- Shipping height: 25mm
- Shipping width: 57mm
- Shipping length: 114mm

- UPC: 601557939630

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #1 STANDARD HEIGHT
- About Us

# Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #1 STANDARD HEIGHT

## Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #1. This product is designed to enhance your shooting experience by providing a reliable and adjustable mounting solution for your optics. To ensure your safety and the proper functioning of the product, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Ensure the product is compatible with your firearm and optics before installation.
- Inspect the optic mount and all components for any signs of damage or wear before use.
- Always follow the manufacturer's instructions for the installation and usage of your optics.
- Store the product in a cool, dry place away from direct sunlight when not in use.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or product defects to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not exceed the maximum weight limit of the optic mount as specified by the manufacturer.
- Ensure that the optic is securely mounted and properly aligned before use.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Always wear appropriate eye protection when using firearms.
- Be aware of your surroundings and ensure a clear line of sight before firing.
- Regularly check the tightness of the mounting screws and adjust as necessary.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Select the Mounting Position:** Choose either the 35degree or 45degree offset position based on your preference and optics type.
3. **Attach the Base:**
  - Align the base of the optic mount with the top Picatinny rail of your AR15 rifle.
  - Secure the base using the provided clamping screw, ensuring it is tightened adequately.
4. **Attach the Optic Plate:**
  - Select the appropriate optic plate for your sight (refer to the compatibility list).
  - Attach the optic plate to the base, ensuring it is secure.
5. **Check Alignment:** Ensure that the optic is centered over the bore and maintains the desired cowitness height.
6. **Final Inspection:** Doublecheck all screws and adjustments before using the firearm.

### Usage

- When using the offset red dot sight, ensure the rifle is canted to the appropriate angle for optimal visibility.
- Regularly check the mounting system for any signs of wear or loosening during use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and metal recycling.
- If the product is damaged beyond repair, contact your local waste management authority for proper disposal methods.

## Contact Information for Further Support

For any questions or concerns regarding the use of the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #1, please refer to the manufacturer's website or customer support channels for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #1. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)