

OFFSET OPTIC MOUNT - ARISAKA DEFENSE PLATE #4 STANDARD HEIGHT (1.5"-1.8") OPTIC PLATE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE PLATE #4 STANDARD HEIGHT \(1.5"-1.8"\) OPTIC PLATE](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 100040409
- Mfr. No.: OOMP4
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: -
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.032kg
- Shipping height: 25mm
- Shipping width: 57mm
- Shipping length: 114mm

- UPC: 601557939661

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #4 STANDARD HEIGHT (1.5"1.8") OPTIC PLATE
- About Us

Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #4 STANDARD HEIGHT (1.5"1.8") OPTIC PLATE

Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #4. This product is designed to enhance your shooting experience by providing a reliable and versatile mounting solution for your optic. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the OFFSET OPTIC MOUNT is compatible with your firearm and optic before installation.
- Always handle firearms safely and responsibly. Follow all local laws and regulations regarding firearm usage and ownership.
- Inspect the OFFSET OPTIC MOUNT regularly for signs of wear, damage, or improper installation.
- Keep the OFFSET OPTIC MOUNT and all firearms out of reach of children and unauthorized users.
- Report any unsafe products or accidents to local authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's weight limit when mounting optics on the OFFSET OPTIC MOUNT.
- Ensure that the mount is securely fastened to the Picatinny rail before use to prevent accidental dislodgment.
- Avoid using excessive force when tightening screws to prevent stripping or damaging the mount.
- Be cautious when canted; ensure the optic remains properly aligned with the bore of the rifle.
- Use appropriate eye protection when shooting to safeguard against potential hazards.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a Torx Plus bit driver (IP20 and IP27 included).

2. Installation

- Locate the top Picatinny rail on your AR15 rifle.
- Align the base of the OFFSET OPTIC MOUNT with the desired position on the rail.
- Insert the twin recoil lugs into the rail slots and secure the mount using the clamping screw.
- Tighten the screw until the mount is firmly attached, but do not overtighten.

3. Optic Attachment

- Choose the appropriate optic plate based on your optic model (refer to the compatibility list).
- Attach the optic plate to the mount by aligning the mounting holes and securing with screws.
- Ensure the optic is level and properly aligned before tightening the screws.

4. Usage

- When using the offset red dot sight, ensure the rifle is canted at the desired angle.
- Verify that the optic remains centered over the bore and maintains a lower 1/3 cowitness height.
- Regularly check the mount and optic for secure attachment during use.

Disposal Instructions

- Dispose of the OFFSET OPTIC MOUNT and any packaging materials in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any inquiries regarding the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #4, including safety concerns or product support, please refer to the manufacturer's contact details, which can be found on the packaging or the official website.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the OFFSET OPTIC MOUNT!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk