

AR-15 HANDGUARDS M-LOK 5.56MM - AR-15 HANDGUARD 15IN. M-LOK BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

AR-15 HANDGUARDS M-LOK 5.56MM RHF (Railed Handguard, Forward Controls) is based on the superb CMT UHPR Mod2, with full length 1913 rails at 12 o'clock, and MLOK at 3, 6, and 9 o'clock. RHF is machined from 6000 series extruded aluminum, its barrel nut is machined from 7075 aluminum, both are Type 3 anodized, while the rail mounting hardware is machined from 17-4 PH (patent pending). RHF also incorporates anti-rotation tabs. RHF's inside diameter is 1.315" and compatible with most low-profile gas blocks. Barrel nut diameter is 1.378", barrel nut wrench is included. SPECS: Barrel nut torque: milspec 40-70ft/lbs Rail clamp screws torque: 45 inc/lbs. AR15/M16 free float handguards Full length 1913 rail at 12 o'clock MLOK at 3, 6 and 9 o'clock Available lengths: 6.7", 12.7" and 13.7". Weight by length: .45 lb, .7 lb and .725 lb RHF incorporates design input from Forward Controls, the changes include: Barrel cooling vents changed to the classic round shape. One might say they're paying homage to Knight's Armament's RAS and RIS where meaningful modular revolution began. Simplification of the already understated aesthetics of the CMT UHPR Mod 2 handguard.



Attributes

- Name: [AR-15 HANDGUARD 15IN. M-LOK BLACK](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100044424
- Mfr. No.: RHF, 15
- Color: Black
- Length: 15
- Make: AR-15
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Delivery weight: 0.59kg
- Shipping height: 108mm
- Shipping width: 114mm
- Shipping length: 425mm
- UPC: 680665827138

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 HANDGUARDS MLOK 5.56MM](#)
- [About Us](#)

Safety Instruction Guide for AR15 HANDGUARDS MLOK 5.56MM

Introduction

Thank you for purchasing the AR15 HANDGUARDS MLOK 5.56MM. This guide provides essential safety information and instructions to ensure the safe use and installation of your handguard. Please read this guide carefully before use.

General Safety Guidelines

- **Product Safety:** This product is designed to meet safety standards for nonfood items. Ensure you use it as intended to avoid risks.
- **Enhanced Recalls:** In the event of a product recall, you will be notified through standardized notices. Follow the instructions provided for any necessary remedies.
- **Online Shopping:** If purchased online, be assured that the same safety protections apply as if bought in a physical store.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the appropriate contact in your region.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the handguard is compatible with your AR15 model. Refer to the specifications provided.
- **Installation:** Follow the installation instructions carefully to avoid improper fitting that could lead to malfunctions.
- **Inspection:** Regularly inspect the handguard for signs of wear or damage. Do not use if damaged.
- **Handling:** Always handle the firearm safely and responsibly. Follow all firearm safety guidelines.
- **Temperature:** Be aware that the handguard may become hot during use. Allow it to cool before handling.
- **Ammunition:** Use only recommended ammunition to prevent excessive wear or damage to the handguard.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: barrel nut wrench, torque wrench, and compatible screws.
- Ensure your workspace is clean and free of obstructions.

2. Installation:

- Remove the existing handguard from your AR15.
- Install the barrel nut using the included wrench. Torque to the specified range of 4070 ft/lbs.
- Align the handguard with the barrel nut and secure it using the rail clamp screws. Torque to 45 in/lbs.
- Ensure the handguard is properly seated and does not rotate.

3. Usage:

- After installation, check the stability of the handguard before using the firearm.
- Attach accessories to the MLOK slots as needed, ensuring they are securely fastened.
- Avoid overloading the handguard with excessive weight.

Disposal Instructions

- Dispose of the product responsibly. Do not discard in regular household waste.
- Follow local regulations for the disposal of metal and aluminum materials.
- If the product is damaged beyond use, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the AR15 HANDGUARDS MLOK 5.56MM, please refer to your local distributor or authorized dealer for assistance.

Thank you for choosing the AR15 HANDGUARDS MLOK 5.56MM. Your safety is our priority.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at