

RIFLE FACTORY CRIMP DIES - LEE PRECISION 38-40 WCF FACTORY CRIMP DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Lee Factory Crimp Die crimps the bullet in place more firmly than any other tool Tests demonstrate that even bullets which have no crimp groove will shoot more accurately A firm crimp improves accuracy because pressure must build to a higher level before the bullet begins to move. This higher start pressure insures a more uniform pressure curve and less velocity variation Features a collet that squeezes the case mouth into the crimping groove for a firm hold Shellholder not included Fits all 7/8"-14 reloading presses



Attributes

- Name: [LEE PRECISION 38-40 WCF FACTORY CRIMP DIE](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053149
- Mfr. No.: 90852
- Cartridge: 38-40 Winchester
- Die Style: Crimp Die
- Delivery weight: 0.159kg
- Shipping height: 36mm
- Shipping width: 86mm
- Shipping length: 116mm
- UPC: 734307908522

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RIFLE FACTORY CRIMP DIES LEE PRECISION 3840 WCF FACTORY CRIMP DIE](#)
- [About Us](#)

Safety Instruction Guide for RIFLE FACTORY CRIMP DIES LEE PRECISION 3840 WCF FACTORY CRIMP DIE

Introduction

Thank you for choosing the RIFLE FACTORY CRIMP DIES LEE PRECISION 3840 WCF FACTORY CRIMP DIE. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide carefully before using the crimp die to minimize risks and enhance your reloading experience.

General Safety Guidelines

- Always handle reloading equipment with care to prevent accidents.
- Ensure a wellventilated workspace when reloading ammunition.
- Keep all reloading components, including the crimp die, out of reach of children and unauthorized users.
- Regularly inspect your reloading equipment for wear or damage before use.
- Follow all local laws and regulations regarding ammunition reloading.

Specific Safety Precautions for Use

- Use the crimp die only with the specified cartridge (3840 Winchester).
- Ensure that the crimp die is properly installed on the reloading press before use.
- Do not exceed recommended load specifications for your ammunition.
- Always wear appropriate eye protection when using reloading equipment.
- Avoid distractions while reloading to maintain focus and safety.
- Do not attempt to modify the crimp die or any other reloading equipment.

Instructions for Installation and Usage

1. Installation

- Ensure that the reloading press is securely mounted and stable.
- Remove any previous dies from the press if necessary.
- Thread the crimp die into the press, ensuring it is securely tightened.
- Adjust the die to the desired position according to the manufacturer's instructions.

2. Usage

- Prepare your cases by cleaning and inspecting them for defects.
- Insert the case into the shell holder of the reloading press.
- Follow the reloading manual for your specific load data.
- Operate the press to crimp the bullet into place, ensuring a firm hold.
- Inspect the finished cartridge for proper crimp and overall quality.

Disposal Instructions

- Dispose of any defective or damaged reloading components according to local regulations.
- Do not throw away reloading components in regular household waste.
- Check with local authorities for proper disposal methods for hazardous materials.

Contact Information for Further Support

For safety inquiries or additional support, please contact the manufacturer or consult your local reloading community.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and effective reloading experience with the RIFLE FACTORY CRIMP DIES LEE PRECISION 3840 WCF FACTORY CRIMP DIE. Always prioritize safety and stay informed about best practices in ammunition reloading.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk