

PISTOL CARBIDE 3 DIE SETS - LEE PRECISION 45 AUTO RIM CARBIDE 3-DIE SET

[Reloading](#) > [Reloading Dies](#) > [Handgun Dies](#)

Set includes Carbide Full Length Sizing Die, Bullet Seating Die, Powder Thru Expanding Die, Shell Holder, Powder Dipper and Instructions/Load Data
Carbide dies requires no sizing lube



Attributes

- Name: [LEE PRECISION 45 AUTO RIM CARBIDE 3-DIE SET](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053202
- Mfr. No.: 90808
- Cartridge: 45 Auto Rim
- Die Style: Carbide Kit
- Delivery weight: 0.547kg
- Shipping height: 38mm
- Shipping width: 121mm
- Shipping length: 146mm
- UPC: 734307908089

Item details

Made in USA

Table of Contents

- Startpage
- PISTOL CARBIDE 3 DIE SET Safety Instructions
- About Us

PISTOL CARBIDE 3 DIE SET Safety Instructions

Introduction

Thank you for choosing the PISTOL CARBIDE 3 DIE SET by LEE PRECISION. This product is designed for reloading 45 Auto Rim cartridges. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle reloading equipment with care to prevent accidents.
- Ensure that your workspace is clean, organized, and free of distractions.
- Keep all reloading components out of reach of children and pets.
- Wear appropriate safety gear, including safety glasses and gloves, during the reloading process.
- Store the die set and all reloading components in a secure location when not in use.
- Be aware of the specific hazards associated with the materials used in reloading, such as gunpowder and primers.

Specific Safety Precautions for Use

- Read and understand the instructions provided with the die set before use.
- Inspect all components for damage before use. Do not use damaged equipment.
- Follow the manufacturer's recommended load data for safe reloading practices.
- Avoid using excessive force when operating the dies to prevent injury or damage.
- Never leave the reloading process unattended.
- Be cautious when handling and storing gunpowder and primers. Follow all safety guidelines provided by the manufacturers of these materials.

Instructions for Installation and Usage

1. Setup:

- Ensure your reloading press is securely mounted.
- Gather all necessary components: Carbide Full Length Sizing Die, Bullet Seating Die, Powder Thru Expanding Die, Shell Holder, Powder Dipper, and instructions/load data.

2. Installation:

- Install the Carbide Full Length Sizing Die into the reloading press according to the manufacturer's instructions.
- Follow the same procedure for the Bullet Seating Die and Powder Thru Expanding Die, ensuring they are securely attached.

3. Reloading Process:

- Start with the Carbide Full Length Sizing Die to resize the cartridge case.
- Use the Powder Thru Expanding Die to prepare the case for bullet seating.
- Measure and dispense the appropriate amount of powder using the Powder Dipper.
- Finally, use the Bullet Seating Die to properly seat the bullet into the case.

4. Finishing Up:

- Inspect each completed cartridge for quality and safety.
- Clean your workspace and properly store all components after use.

Disposal Instructions

- Dispose of any defective or damaged components in accordance with local regulations.
- Do not dispose of gunpowder or primers in regular trash. Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the PISTOL CARBIDE 3 DIE SET, please refer to the manufacturer's contact information provided in the product packaging or visit the official website.

Conclusion

By following these safety instructions, you can ensure a safe and efficient reloading experience with your PISTOL CARBIDE 3 DIE SET. Always prioritize safety and stay informed about best practices in reloading. Thank you for choosing LEE PRECISION.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk