

# AR-15/AR 308 ASR MUZZLE BRAKE 30 CALIBER - SILENCERCO ASR 7.62 MUZZLE BRAKE

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

This 3-port muzzle brake is compatible with the Specwar, Saker, Omega, Hybrid, and Harvester Big Bore ASR mounting system. They offer one hand on, one hand off attachment/detachment. The 3-port design effectively reduces felt recoil and muzzle climb.



## Attributes

- Name: [SILENCERCO ASR 7.62 MUZZLE BRAKE](#)
- Manufacturer: [SILENCERCO](#)
- Product no.: 100400080
- Mfr. No.: AC591
- Caliber: 30 Caliber (.308)
- Finish: Black
- Threads: 5/8-24
- Weapon type: AR .308
- Delivery weight: 0.091kg
- Shipping height: 36mm
- Shipping width: 41mm
- Shipping length: 76mm
- UPC: 817272011432

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15/AR 308 ASR Muzzle Brake
- About Us

# Safety Instruction Guide for AR15/AR 308 ASR Muzzle Brake

## Introduction

Thank you for choosing the AR15/AR 308 ASR Muzzle Brake. This product is designed to enhance your shooting experience by effectively reducing felt recoil and muzzle climb. It is essential to read and understand the following safety instructions to ensure safe and proper use of this product.

## General Safety Guidelines

- Always treat firearms and firearm accessories with respect and caution.
- Ensure that you are familiar with local laws and regulations regarding the use of muzzle brakes and firearms.
- Use this product only with compatible firearms and ammunition. This muzzle brake is designed for .30 caliber (.308) firearms.
- Always wear appropriate safety gear, including eye and ear protection, when shooting.
- Keep the product and all firearms out of reach of children and unauthorized users.
- In case of any malfunction or damage, cease use immediately and seek professional assistance.

## Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or removing the muzzle brake.
- Do not attempt to modify or alter the muzzle brake in any way.
- Regularly inspect the muzzle brake for signs of wear or damage.
- Avoid using the muzzle brake with ammunition that exceeds the specified caliber.
- Be mindful of the direction of muzzle blast and ensure a clear area behind the shooting position.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded.
- Clean the threads on the muzzle of the firearm to remove any debris.
- Align the muzzle brake with the threads on the firearm.
- Handtighten the muzzle brake onto the threads until secure. Do not overtighten.
- Verify that the muzzle brake is securely attached before use.

### 2. Usage:

- Always check the muzzle brake before shooting to ensure it is properly installed.
- Use only the recommended caliber ammunition for your firearm.
- After shooting, allow the muzzle brake to cool before handling, as it may become hot.
- Clean the muzzle brake regularly to maintain performance and safety.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm accessories.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management authority for proper disposal guidance.

## **Contact Information for Further Support**

For any inquiries regarding safety, usage, or concerns about the AR15/AR 308 ASR Muzzle Brake, please refer to the manufacturer's contact information provided on the product packaging or website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15/AR 308 ASR Muzzle Brake. Always prioritize safety and responsibility when handling firearms and accessories.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)