

# COATED RODS - 22-26 CALIBER 40" 8-36M COATED ROD

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rods](#)

## Tough Nylon Can't Scratch Your Rifling

The tough nylon coating on these rods absolutely won't scratch the delicate rifling of the finest match barrel and won't peel off like many vinyl coatings do. Smooth turning, ball bearing handle. Supplied with Adapter for standard 8-32 male thread brushes and accessories (Except .17 and 20 caliber rods; they are 5-40 female). Plus, an extra-long Dewey Jag that takes a patch either wrapped-around, or over-the-end, and fits directly onto the rod's male thread. 17C and 20C series rods do not include brush adapter. Use of breech or muzzle bore guide is recommended.



## Attributes

- Name: [22-26 CALIBER 40" 8-36M COATED ROD](#)
- Manufacturer: [DEWEY](#)
- Product no.: 234000047
- Mfr. No.: 22C40
- Caliber: 22 Caliber (.223-.224),264/6.5 mm (.264)
- Length: 40
- Material: Nylon Coated
- Style: Rifle
- Delivery weight: 0.227kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 1,092mm
- UPC: 608060100199

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [COATED RODS 2226 CALIBER 40" 836M COATED ROD Safety Instruction Guide](#)
- [About Us](#)

# COATED RODS 2226 CALIBER 40" 836M COATED ROD Safety Instruction Guide

## Introduction

Thank you for choosing the COATED RODS 2226 CALIBER 40" 836M COATED ROD. This guide provides essential safety information to ensure safe and effective use of the product. Please read this guide carefully before using the rod.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the rod for any damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Do not use the rod if it appears damaged or defective.
- Report any unsafe product conditions to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Avoid using the rod with incompatible brushes or accessories.
- Use the rod in a wellventilated area to minimize exposure to dust and debris.
- Do not apply excessive force when using the rod, as this may cause damage or injury.
- Always wear appropriate protective gear, such as safety glasses, when cleaning firearms.
- Use a breech or muzzle bore guide to protect the firearm's rifling during cleaning.
- Ensure that the firearm is unloaded before using the cleaning rod.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is completely unloaded.
- Choose the appropriate brush or accessory for your cleaning needs.

### 2. Attaching the Brush:

- Use the supplied adapter to attach standard 832 male thread brushes and accessories.
- Ensure the brush is securely fastened to avoid detachment during use.

### 3. Using the Rod:

- Insert the rod into the bore from the breech or muzzle, depending on the firearm design.
- Use smooth, controlled motions to avoid scratching the rifling.
- If using the Dewey Jag, ensure the patch is properly wrapped or positioned.

### 4. PostUse Care:

- Clean the rod after each use to remove any residue or debris.
- Store the rod in a dry, safe place away from direct sunlight and moisture.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.

- Do not dispose of the product in household waste; check for designated recycling facilities.
- Remove any nonbiodegradable components before disposal.

## **Contact Information for Further Support**

For safety inquiries or further information regarding the COATED RODS 2226 CALIBER 40" 836M COATED ROD, please refer to the product packaging or your retailer.

Thank you for prioritizing safety while using the COATED RODS 2226 CALIBER 40" 836M COATED ROD. Enjoy your cleaning experience responsibly!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)