

OPTIMA/JPOINT HANDGUN MOUNTS - EGW OPTIMA/JP MOUNT FOR SIG P220-229

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Optima/JPoint/Delta Point Mount. Simply remove the rear sight on your gun and replace it with the EGW mount in order to mount your Optima, J-Point or Delta Point red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included.

THIS MOUNT DOES NOT WORK ON ANY OPTICS READY SIGS



YOUR FIREARM MUST HAVE A DOVETAIL REAR SIGHT TO WORK CORRECTLY, NOT A REMOVABLE MOUNTING PLATE

Attributes

- Name: [EGW OPTIMA/JP MOUNT FOR SIG P220-229](#)
- Manufacturer: [EGW](#)
- Product no.: 296000351
- Mfr. No.: 49415
- Color: Black
- Make: Sig Sauer
- Model: P226,P228,P224,P225,P227,P229,P220
- Delivery weight: 0.017kg
- UPC: 841370107209

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for EGW Optima/JPoint Handgun Mount
- About Us

Safety Instruction Guide for EGW Optima/JPoint Handgun Mount

Introduction

Thank you for choosing the EGW Optima/JPoint/Delta Point Mount for your Sig Sauer handgun models P220, P225, P226, P228, P229, P224, and P227. This guide provides essential safety instructions to ensure the proper and safe use of your product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand these safety instructions before using the product.
- Ensure that the mount is compatible with your specific handgun model.
- Inspect the product for any visible damage or defects before installation.
- Keep the mount and all related components out of reach of children.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that your firearm is unloaded before attempting to install or remove the mount.
- Do not modify the mount or your firearm in any way that could affect safety.
- Always follow the manufacturer's instructions for installation and use.
- Use only the provided mounting hardware to secure the mount.
- Regularly check the mount for tightness and stability before use.
- If you experience any issues with the mount, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is unloaded and in a safe condition.
- Gather all necessary tools and the provided mounting hardware.

2. Removing the Rear Sight

- Carefully remove the rear sight from your handgun, following the manufacturer's instructions.
- Keep the rear sight in a safe place for potential future use.

3. Installing the EGW Mount

- Align the EGW mount with the mounting holes on your handgun.
- Secure the mount using the provided screws and ensure they are tightened properly.

4. Mounting the RedDot Sight

- Follow the specific instructions for your reddot sight to attach it securely to the EGW mount.
- Make sure the sight is properly aligned for accurate aiming.

5. Final Checks

- After installation, doublecheck that the mount and sight are secure.
- Test the firearm in a safe environment to ensure proper functionality.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the product is no longer in use, dispose of it in a manner that is environmentally friendly and complies with local waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the EGW Optima/JPoint Handgun Mount, please refer to the manufacturer's support resources. It is important to have access to assistance for safe usage and installation.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu