

# SWEDISH MAUSER 3-HOLE SCOPE BASES - EGW SWEDISH MAUSER 3-HOLE W/HUMP UNDRILLED 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Swedish Mauser 3-Hole with Hump Scope Bases. Rifle bases precision machined from extruded aluminum with Picatinny slot-and-rail spacing that allows fast and simple changes to eye relief, plus great flexibility in scope choice. Accepts Picatinny or Weaver scope rings. Lightweight Tactical mounts have a milled center channel for weight reduction. Full-width cross-slots are gauged to MIL-STD 1913 specs to +/- .002". Machined from ultra-rigid, extruded 6061 T6 aluminum. Includes socket head Torx® screws and wrench. EGW recommends 20 inch lbs of torque and a drip of blue loctite for mounting.



## Attributes

- Name: [EGW SWEDISH MAUSER 3-HOLE W/HUMP UNDRILLED 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000460
- Mfr. No.: 47036
- Action Type: Bolt Action
- Color: Black
- Elevation: 20 MOA
- Make: Mauser
- Material: Aluminum
- Model Number: Undrilled Base
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Delivery weight: 0.091kg
- UPC: 841370106899

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SWEDISH MAUSER 3HOLE SCOPE BASES
- About Us

# Safety Instruction Guide for SWEDISH MAUSER 3HOLE SCOPE BASES

## Introduction

Thank you for choosing the EGW Swedish Mauser 3Hole Scope Bases. This guide provides essential safety instructions and information for the proper use, installation, and disposal of the product. Please read this guide carefully to ensure safe operation and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the scope bases for wear or damage before use.
- Report any unsafe conditions or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always use the scope bases in accordance with the manufacturer's instructions.
- Ensure that all screws are tightened to the recommended torque of 20 inch lbs.
- Use a drip of blue loctite on screws during installation to prevent loosening.
- Avoid overtightening screws, which may lead to damage.
- Do not modify the scope bases in any way, as this may compromise safety and performance.
- Use only compatible Picatinny or Weaver scope rings for mounting.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a Torx® wrench.
- Ensure the workspace is clean and free from distractions.

### 2. Installation Steps:

- Place the scope bases on the rifle's receiver, aligning them with the mounting holes.
- Insert the provided socket head Torx® screws into the mounting holes.
- Use the Torx® wrench to tighten the screws to a torque of 20 inch lbs.
- Apply a drop of blue loctite to each screw to secure them in place.

### 3. Usage Instructions:

- Once installed, attach your scope to the bases using compatible rings.
- Adjust the eye relief as needed for comfort and accuracy.
- Regularly check the tightness of the screws and the integrity of the bases during use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling components where applicable.

## **Contact Information for Further Support**

For any safety inquiries or support related to the EGW Swedish Mauser 3Hole Scope Bases, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

# About Us

## **Brownells Europe**

### **Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300   
Warwick   
CV34 9BR

[www.brownells.eu](http://www.brownells.eu)