

WINCHESTER 70 HD SCOPE BASES - EGW WINCHESTER 70 30 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Winchester 70 Heavy Duty Scope Bases. Add the versatility of a one-piece Picatinny scope rail to your shotgun with no drilling or tapping. Precision machined from extruded aluminum with Picatinny slot-and-rail spacing that allows fast and simple changes to eye relief, plus great flexibility in scope choice. Drilled to fit the factory scope mount holes on those Winchester Model 70 long action rifles that use an .860 hole spacing on the front and rear receiver rings. Accepts Picatinny or Weaver scope rings. Heavy Duty mounts are .100" lower than the Lightweight mounts to minimize weight and keep your optic closer to the barrel centerline for improved accuracy. Full-width cross-slots are gauged to MIL-STD 1913 specs to +/- .002". Machined from ultra-rigid extruded 7075 T6 aluminum. Includes socket head Torx® screws and wrench. EGW recommends 20 inch lbs of torque and a drip of blue loctite.



Attributes

- Name: [EGW WINCHESTER 70 30 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000493
- Mfr. No.: 80603
- Action Type: Bolt Action
- Colour: Black
- Elevation: 30 MOA
- Material: Aluminum
- Model: 70
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Winchester
- Delivery weight: 0.093kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 841370109180

Item details

Made in USA

Table of Contents

- Startpage
- WINCHESTER 70 HD SCOPE BASES Consumer Safety Instruction Guide
- About Us

WINCHESTER 70 HD SCOPE BASES Consumer Safety Instruction Guide

Introduction

Thank you for choosing the EGW Winchester 70 Heavy Duty Scope Bases. This guide provides essential safety information and instructions to ensure the safe and effective use of your scope bases. Please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the scope bases by following the instructions provided. This product is designed for nonfood use and must be handled with care.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product. Check the EU's Safety Gate platform for updates.
- **Online Shopping:** If purchased online, ensure that the seller complies with EU safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Be aware of the Safety Gate system for quicker updates on potential safety issues.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the installation is performed by a qualified individual to avoid improper fitting, which may lead to accidents.
- **Weight Limitations:** Do not exceed the recommended weight limit for mounted optics to avoid compromising the integrity of the scope bases.
- **Regular Inspections:** Periodically check the scope bases for any signs of wear or damage. Replace if necessary.
- **Torque Specifications:** Use a torque wrench to tighten the socket head Torx screws to the recommended setting of 20 inch lbs. Overtightening can damage the product or firearm.
- **Loctite Application:** Apply a drip of blue Loctite to the screws during installation to prevent loosening due to recoil.
- **Avoid Modifications:** Do not modify the scope bases or the firearm in any way that could affect safety or performance.

Instructions for Installation and Usage

1. Gather Required Tools:

- Socket head Torx wrench
- Torque wrench
- Blue Loctite (thread locker)

2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing scope mounts if applicable.
- Align the EGW Winchester 70 Heavy Duty Scope Bases with the factory scope mount holes on the receiver.
- Insert the socket head Torx screws into the designated holes.
- Tighten each screw gradually using the torque wrench to reach 20 inch lbs. Ensure even pressure

- across all screws.
- Apply a small amount of blue Loctite to the threads of the screws before final tightening.

3. Usage Instructions:

- After installation, mount your Picatinny or Weaver scope rings as per the manufacturer's instructions.
- Adjust the eye relief as needed before securing the scope.

Disposal Instructions

When disposing of the product, please follow local regulations for electronic waste and metal recycling. Ensure that all components are disposed of responsibly to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the installation or safety of the EGW Winchester 70 Heavy Duty Scope Bases, please refer to the designated EU contact point associated with this product.

Thank you for your attention to these safety instructions. Following these guidelines will help ensure the safe and effective use of your scope bases. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk