

UNIVERSAL TRIJICON RMR SIGHT MOUNT - UNIVERSAL TRIJICON RMR MOUNT .468 RADIUS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Overall Height: .335" Radius: .468" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C .468" bottom radius mount. There should be a slight gap at the top of the radius between the receiver and the mount when mounted. The two spreads on this mount measure .500"-.505" and .8625". This should fit barrel/receiver diameters from .936"-1.350". .670" bottom radius mount. There should be a slight gap at the top of the radius between the receiver and the mount when mounted. The two spreads on this mount measure .500"-.505" and .8625" which should fit the receiver ring on the following guns: Common Applications for .670" bottom radius mount: Shotgun: Benelli Auto / Super Black Eagle / Vinchi, M2 (Will Work in the Front Set Only, 8-40 Screws) Benelli Supernova (Will Work in the Front Set Only, 8-40 AND Longer Screws) Browning A-Bolt 12 Gauge Savage 210 Savage 212 Savage 220 Stoeger M3000 / Stoeger M3500 (Will Work in the Front Set Only, 8-40 Screws) Winchester 1300 Winchester SXP Rifle: Remington 700, 722, 40x Remington 783 Remington 710/770 Remington xp 100 Remington 4, 6, 7400, 7615 (Front Set Only, 8-40 Screws) Savage arms centerfire models Winchester 70



Attributes

- Name: [UNIVERSAL TRIJICON RMR MOUNT .468 RADIUS](#)
- Manufacturer: [EGW](#)
- Product no.: 296000583
- Mfr. No.: 49524
- Color: Black
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Tactical
- Delivery weight: 0.038kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116492

Item details

Made in USA

Table of Contents

- Startpage
- UNIVERSAL TRIJICON RMR SIGHT MOUNT Safety Instruction Guide
- About Us

UNIVERSAL TRIJICON RMR SIGHT MOUNT Safety Instruction Guide

Introduction

Thank you for purchasing the UNIVERSAL TRIJICON RMR SIGHT MOUNT. This guide provides essential safety information, installation instructions, and usage guidelines to ensure safe and effective operation of your product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the sight mount is compatible with your firearm and red dot sight before installation.
- Always handle firearms and accessories with care. Treat every firearm as if it is loaded.
- Keep the sight mount and all firearms out of reach of children and unauthorized users.
- Regularly inspect the sight mount for any signs of wear or damage. Do not use if damaged.
- Ensure that all mounting hardware is secure before use.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

- Do not exceed the recommended barrel/receiver diameter specifications when installing the sight mount.
- Ensure that there is a slight gap at the top of the radius between the receiver and the mount when mounted.
- Use only the provided mounting hardware to secure the sight mount.
- When installing or removing the sight mount, ensure that the firearm is unloaded and pointed in a safe direction.
- Be aware of the specific applications and limitations of the sight mount for different firearms as outlined in the product description.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and in a safe condition.
- Gather required tools: a screwdriver suitable for the provided screws.

2. Installation Steps

- Identify the appropriate mounting location on the firearm.
- Align the sight mount with the specified radius and ensure proper fit.
- Secure the sight mount using the provided (2) 632 Flat Head Screws and (1) 632 Set Screw.
- Tighten screws evenly to avoid misalignment. Do not overtighten, as this may damage the mount or firearm.

3. PostInstallation Check

- Verify that the sight mount is securely attached and there is no movement.
- Check the alignment and ensure that the red dot sight fits correctly on the mount.

4. Usage

- Once installed, regularly check the sight mount for tightness and any signs of wear.
- Follow the manufacturer's instructions for the red dot sight to ensure proper operation.

Disposal Instructions

- Dispose of the sight mount and any packaging materials in accordance with local regulations.
- Do not dispose of the sight mount in regular household waste if it is damaged or contains hazardous materials.
- Contact local waste management authorities for specific disposal guidelines.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the manufacturer's website or customer service contact information provided with your product packaging.

This safety instruction guide is designed to ensure the safe use of the UNIVERSAL TRIJICON RMR SIGHT MOUNT in compliance with the EU General Product Safety Regulation (GPSR). Your safety is our priority. Thank you for your attention and responsible handling of this product.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at