

PICATINNY EXTRUSION - EGW 36" UNANODIZED EXTRUSION

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Build Custom Scope Bases; Saves Time & Money

Picatinny cross-section aluminum rail stock gives you a head start on building custom scope bases. Pre-contoured, so you need only cut to required length, mill cross-slots, radius the underside (if needed), and drill mounting holes. Much easier than machining from scratch from bar stock. Perfect for installations that require special ring positioning. Place cross-slots only where you need them; dovetail contour accepts Picatinny or Weaver-style rings. Channel down the center keeps weight to a minimum without compromising rigidity.



Attributes

- Name: [EGW 36" UNANODIZED EXTRUSION](#)
- Manufacturer: [EGW](#)
- Product no.: 296000639
- Mfr. No.: 46750
- Colour: Black
- Make: -
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Delivery weight: 0.59kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 686mm
- UPC: 841370106684

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [PICATINNY EXTRUSION EGW 36" UNANODIZED EXTRUSION Safety Instructions](#)
- [About Us](#)

PICATINNY EXTRUSION EGW 36" UNANODIZED EXTRUSION Safety Instructions

Introduction

Thank you for choosing the PICATINNY EXTRUSION EGW 36" UNANODIZED EXTRUSION. This guide provides essential safety instructions to ensure safe usage and installation of the product. It is important to read and understand these guidelines before using the product to minimize risks and ensure a safe experience.

General Safety Guidelines

- Ensure safe use of the product by following these guidelines:
 - Always handle the extrusion with care to avoid sharp edges.
 - Keep the product out of reach of children and vulnerable individuals.
 - Inspect the extrusion for any visible damage before installation.
 - Avoid using the product for purposes other than intended.
 - Store the extrusion in a dry, cool place to prevent corrosion.

Specific Safety Precautions for Use

- To ensure safe usage, please consider the following precautions:
 - Use appropriate protective gear, such as gloves and safety glasses, when handling the extrusion.
 - Ensure that the working area is clean and free of obstructions.
 - Be cautious of the weight of the extrusion; seek assistance if necessary.
 - Avoid any modifications to the extrusion that are not specified in the installation instructions.
 - If you experience any discomfort or injury while handling the product, stop using it immediately and seek help.

Instructions for Installation and Usage

- Follow these steps for proper installation and safe usage of the PICATINNY EXTRUSION:

1. Preparation:

- Gather all necessary tools, including a saw for cutting, a milling machine for crossslots, and a drill for mounting holes.
- Ensure the workspace is welllit and organized.

2. Cutting to Length:

- Measure the required length for your specific installation.
- Use a saw to cut the extrusion to the desired length, ensuring a straight cut for stability.

3. Milling CrossSlots:

- Mill crossslots as per your requirements, ensuring they are evenly spaced and aligned.
- Check the depth of the slots to ensure compatibility with your rings.

4. Rounding the Underside:

- If necessary, radius the underside of the extrusion to avoid sharp edges that may cause injury or damage.

5. Drilling Mounting Holes:

- Mark the locations for the mounting holes based on your installation needs.
- Drill the holes carefully, ensuring they are aligned with the mounting system you are using.

6. Final Assembly:

- Attach the extrusion to your firearm, ensuring that all screws and mounts are tightened securely.
- Doublecheck alignment and stability before use.

Disposal Instructions

- Proper disposal of the PICATINNY EXTRUSION is important to minimize environmental impact:
 - When the product is no longer needed, dispose of it in accordance with local regulations regarding aluminum materials.
 - Recycle the extrusion where facilities are available to promote environmental sustainability.

Contact Information for Further Support

- For any inquiries or concerns regarding the product, please refer to the manufacturer's contact information provided with your purchase.

By following these safety instructions, you can ensure a safe and effective experience with the PICATINNY EXTRUSION EGW 36" UNANODIZED EXTRUSION. Always prioritize safety and consult professionals if you are unsure about any aspect of installation or usage. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk