

# AR 308 M5 ATLAS R-ONE HANDGUARDS M-LOK - AERO PRECISION M5 (.308) ATLAS R-ONE 12.7" HANDGUARD M-LOK FOR AR-308 FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The ATLAS R-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the R-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Our proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 12.7" - 8.79 oz / 15" - 10.6 oz Mounting Hardware Weight: 4.72 oz (same across all ATLAS Handguard options) FEATURES: Full top picatinny rail for optional attachments Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with AR308 upper receivers and barrels NOT Compatible with M5E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M5E1 Threaded Upper Receivers. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. PLEASE NOTE: These handguards do not come with a wrench. A standard armorers wrench will work with all M5 ATLAS Handguards.



## Attributes

- Name: [AERO PRECISION M5 \(.308\) ATLAS R-ONE 12.7" HANDGUARD M-LOK FOR AR-308 FDE](#)
- Manufacturer: [AERO PRECISION](#)
- Product no.: 430103057
- Mfr. No.: APRA538714A
- Colour: Flat Dark Earth
- Length: 12.7"
- Material: -
- Style: M-LOK
- Type: -
- Weapon type: AR .308
- Delivery weight: 0.907kg
- Shipping height: 64mm
- Shipping width: 70mm
- Shipping length: 521mm
- UPC: 840014611645

## **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for AR 308 M5 ATLAS RONE HANDGUARDS
- About Us

# Safety Instruction Guide for AR 308 M5 ATLAS RONE HANDGUARDS

## Introduction

Thank you for choosing the AR 308 M5 ATLAS RONE Handguards. This guide provides essential safety instructions and guidelines for the safe use of this product. Please read and follow these instructions carefully to ensure your safety and the longevity of your handguard.

## General Safety Guidelines

- Ensure that the handguard is installed correctly to avoid any potential hazards.
- Always wear appropriate safety gear when handling firearms and related accessories.
- Keep the handguard and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the handguard for any signs of wear or damage.
- If you notice any issues, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Do not exceed the recommended weight limits for attachments on the handguard.
- Ensure that all mounting hardware is securely fastened before use.
- Avoid using the handguard with incompatible upper receivers, as this may lead to malfunction.
- Be cautious of sharp edges when handling the handguard, especially during installation.
- Do not modify the handguard in any way, as this could compromise its integrity and safety.

## Instructions for Installation and Usage

1. **Preparation:** Gather all necessary tools, including a standard armorer's wrench, and ensure you are in a clean, welllit workspace.

2. **Installation Steps:**

- Remove the existing handguard from your AR308 upper receiver.
- Align the ATLAS Handguard with the upper receiver, ensuring that the barrel nut is correctly positioned.
- Use the provided hardware to secure the handguard in place, following the included instructions.
- Tighten the mounting screws evenly to ensure proper clamping pressure without distorting the handguard.
- Check the alignment and stability of the handguard before attaching any accessories.

3. **Usage:**

- Once installed, familiarize yourself with the handguard's features, including the quick disconnect sling sockets.
- Ensure that any attachments you use are compatible with the MLOK system and do not exceed weight limits.
- Regularly check the handguard for tightness and stability, especially after extended use.

## Disposal Instructions

- Dispose of the handguard according to local regulations.
- If the handguard is damaged beyond repair, consider recycling the aluminum material where facilities exist.
- Do not dispose of the handguard in regular household waste.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR 308 M5 ATLAS RONE Handguards, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety guidelines and instructions, you can ensure the safe and effective use of your AR 308 M5 ATLAS RONE Handguards. Thank you for prioritizing safety and compliance with EU regulations.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)