

# EJECTION PORT COVER WITH TWIN DIMPLE - FORWARD CONTROLS DESIGN TDP SPEC EJECTION PORT COVER, TWIN DIMPLE, FDE

[Rifle Parts](#) > [Receiver Parts](#) > [Ejection Port Cover Parts](#) > [Ejection Port Covers](#)

EPC (Ejection Port Cover) is based on TDP dimensions, with thoughtful Forward Control touches. Billet machined from 7075 aluminum, and hard coat Type III anodized, it incorporates features they think many will find useful. EPC has two "tabs" flanking the cutout for the port cover spring. These tabs allow the EPC to rest on the upper at a greater angle when it's in the down/open position, which provides more space between the port cover and lower receiver. Their job is to better allow the user's finger to get underneath the port cover when he wishes to swing it up/close. Another feature is a shallow circular depression on the side of the EPC to provide texture tactile feedback to the user's finger when he's closing the EPC. A flat surface provides nothing to the user to differentiate one surface from another, it also provides no traction. A shallow circular depression on the left side of the EPC does both. Forward Controls Design incorporate flat surfaces with care as they have their uses. In this case, EPC's exterior surface is treated as a control surface, where a flat surface rarely makes sense. EPC is compatible with TDP spec upper receivers. Weight: 0.30oz. Material: 7075 Construction and coating: billet, type III anodized. Proudly designed and made in the USA. NOTE: Initial closing and opening of EPC may be stiff, this is normal, and will become easier with 2 or 3 closing/opening cycles. Proudly designed and made in the USA. NOTE: CSF does not ship with sling swivels. Please do not fully disassemble the CSF, you may not be able to reassemble it once it's taken apart.



## Attributes

- Name: [FORWARD CONTROLS DESIGN TDP SPEC EJECTION PORT COVER, TWIN DIMPLE, FDE](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103588
- Mfr. No.: EPC 2D FDE
- Weapon type: AR-15
- Delivery weight: 0.34kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 165mm
- UPC: 686162347896

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- EJECTION PORT COVER WITH TWIN DIMPLE FORWARD CONTROLS DESIGN TDP SPEC EJECTION PORT COVER SAFETY INSTRUCTIONS
- About Us

# EJECTION PORT COVER WITH TWIN DIMPLE FORWARD CONTROLS DESIGN TDP SPEC EJECTION PORT COVER SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the Ejection Port Cover with Twin Dimple Forward Controls Design. This product is designed for use with AR15 platform firearms and adheres to TDP specifications. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the Ejection Port Cover is installed correctly and securely before use.
- Always treat firearms as if they are loaded, even if they are not.
- Keep the Ejection Port Cover and all firearm components away from children and unauthorized users.
- Inspect the product regularly for any signs of wear or damage.
- Do not modify the Ejection Port Cover in any way that could affect its functionality or safety.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recall updates for this product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- The initial closing and opening of the Ejection Port Cover may be stiff. This is normal and will improve after 2 or 3 cycles.
- Ensure that your fingers are clear of the path of the Ejection Port Cover when closing to avoid injury.
- Always check that the Ejection Port Cover is fully closed before handling the firearm.
- Avoid using excessive force when operating the Ejection Port Cover to prevent damage.
- If you encounter any resistance that seems abnormal, stop using the product and consult a qualified technician.

## Instructions for Installation and Usage

### Installation Instructions

1. **Preparation:** Ensure that the firearm is unloaded and pointed in a safe direction.
2. **Remove Old Cover:** If applicable, remove the existing ejection port cover by following the manufacturer's instructions.
3. **Position the Ejection Port Cover:** Align the Ejection Port Cover with the upper receiver, ensuring that the tabs are positioned correctly.
4. **Secure the Cover:** Gently press the Ejection Port Cover into place and ensure that it is seated properly.
5. **Test Functionality:** Open and close the Ejection Port Cover several times to ensure smooth operation.

### Usage Instructions

- To open the Ejection Port Cover, gently push the cover up with your finger.
- To close the Ejection Port Cover, press down until it clicks into place.
- Use the shallow circular depression on the side of the cover for better tactile feedback when operating.
- Always ensure that the cover is in the closed position when not in use to protect the internal components of the firearm.

## Disposal Instructions

- Dispose of the Ejection Port Cover responsibly in accordance with local regulations.
- If the product is damaged beyond use, ensure that it is disposed of in a manner that prevents it from being reused in a way that could pose safety risks.

## Contact Information for Further Support

For any questions or concerns regarding the Ejection Port Cover, please reach out to the manufacturer or your local firearms dealer. Ensure that you have your product information ready for reference.

By following these safety instructions, you can ensure safe and effective use of the Ejection Port Cover with Twin Dimple Forward Controls Design. Always prioritize safety and responsible handling of firearms. Thank you for your attention and enjoy your product responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)