

ATLAS S-ONE M-LOK FREE FLOATING HANDGUARD FOR AR-15 - AERO PRECISION ATLAS S-ONE 14.94" HANDGRD M-LOK FREE FLOAT FOR AR-15 KODIAK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Not Your Average Handguard

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. Actual Handguard Lengths: 7.3", 9.3", 10.3", 12.7", 15" -- Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Available in M-LOK profiles with 7.3", 9.3", 10.3", 12.7" and 14.94 (Actual Length 15") options. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. **LIGHTWEIGHT BY DESIGN M-LOK**
Handguard Weights: 7.3" - 4.86 oz / 9.3" - 5.47 oz / 10.3" - 6.0 oz / 12.7" - 7.00 oz / 15" - 7.95 oz Mounting Hardware Weight: 1.9 oz (same across all S-ONE Handguard options) **FEATURES:** Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels **NOT** Compatible with M4E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M4E1 Threaded Upper Receivers. Additionally, they are compatible with any Mil-Spec AR-15 upper receivers as well. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. Please note: The ATLAS Handguards are **NOT** compatible with Aero's M4E1 Enhanced Upper Receiver.

NO IMAGE
AVAILABLE

Attributes

- Name: [AERO PRECISION ATLAS S-ONE 14.94" HANDGRD M-LOK FREE FLOAT FOR AR-15 KODIAK](#)
- Manufacturer: [AERO PRECISION](#)
- Product no.: 430103945
- Mfr. No.: APRA501392A
- Colour: Brown
- Length: 15"
- Style: M-LOK
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 76mm

- Shipping width: 64mm
- Shipping length: 559mm
- UPC: 840014617869

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for ATLAS SONE MLOK Free Floating Handguard for AR15
- About Us

Safety Instruction Guide for ATLAS SONE MLOK Free Floating Handguard for AR15

Introduction

Thank you for choosing the ATLAS SONE MLOK Free Floating Handguard for AR15. This guide provides essential safety instructions and information to ensure the proper use and installation of your handguard. Please read this guide carefully before using the product to ensure your safety and the safety of others.

General Safety Guidelines

- **Product Safety:** The ATLAS SONE handguard is designed to meet safety standards for nonfood products. It is crucial to follow all instructions to ensure safe usage.
- **Enhanced Recalls:** In the event of a safety recall, you will be notified through standardized channels. Always check for updates regarding your product.
- **Online Shopping Safety:** If purchased online, ensure that the platform adheres to safety requirements equivalent to physical stores.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, please refer to the provided contact information on the packaging or the retailer.
- **Rapid Alerts:** Stay informed about product safety through the EU's Safety Gate system for updates on unsafe products.

Specific Safety Precautions for Use

- **Inspect Before Use:** Always inspect the handguard for any signs of damage or wear before installation. Do not use if damaged.
- **Installation Safety:** Ensure that the handguard is installed correctly to avoid any accidents or malfunctions during use.
- **Proper Handling:** Handle the handguard carefully to prevent injury. Sharp edges may be present, so use protective gloves if necessary.
- **Avoid Overtightening:** When installing the handguard, do not overtighten screws or bolts, as this may cause damage or failure.
- **Compatibility Check:** Verify that the handguard is compatible with your AR15 upper receiver. It is NOT compatible with M4E1 Enhanced Upper Receivers.
- **Weight Limitations:** Be aware of the weight limitations of your firearm setup. The handguard is lightweight, but additional accessories may affect balance and handling.
- **Keep Out of Reach of Children:** Store the handguard and any accessories out of reach of children to prevent accidents.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench, appropriate screws, and any additional mounting hardware.
- Ensure that the workspace is clean and free of distractions.

2. Installation Steps:

- **Remove the Old Handguard:** If replacing an existing handguard, follow the manufacturer's instructions to safely remove it.

- **Install the Barrel Nut:** Attach the customengineered barrel nut according to the specifications provided with the handguard. Use the turnbuckle screw to secure it.
- **Attach the Handguard:** Align the handguard with the barrel nut and secure it using the provided locking nuts. Ensure that the tapered locking nuts are evenly tightened for proper clamping pressure.
- **Check for Stability:** Once installed, check the handguard for stability and ensure there is no movement. If there is any play, retighten the mounting hardware as necessary.
- **Final Inspection:** After installation, conduct a final inspection to ensure everything is secure and correctly aligned.

3. Usage:

- Use the handguard as intended for stabilizing your firearm. Avoid using it for purposes other than its design.
- Regularly check the handguard and mounting hardware for any signs of wear or loosening during use.

Disposal Instructions

- **Proper Disposal:** Dispose of the handguard and any associated hardware in accordance with local regulations. Do not dispose of in regular household waste if it contains hazardous materials.
- **Recycling:** If possible, recycle materials such as aluminum and other metals according to local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the ATLAS SONE MLOK Free Floating Handguard, please refer to the contact information provided on the packaging or consult your retailer for assistance.

By following these safety instructions, you can ensure the safe use of your ATLAS SONE MLOK Free Floating Handguard for AR15. Thank you for your attention to safety, and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk