

OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, HOLOSON 509T FOR 1.9" TO 2.2" SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, HOLOSON 509T FOR 1.9" TO 2.2" SCOPE MOUNT](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104530
- Mfr. No.: OOM-P14
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: Holosun
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.077kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 127mm

- UPC: 601557939876

Item details

Made in USA

Table of Contents

- Startpage
- OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instructions
- About Us

OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instructions

Introduction

Thank you for choosing the Arisaka Defense Offset Optic Mount. This product is designed to enhance your shooting experience by providing a modular mounting solution for your red dot sight. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Always handle firearms and related accessories with care and respect.
- Regularly inspect the optic mount for signs of wear or damage before each use.
- If you notice any defects or irregularities, do not use the product and contact a qualified professional.
- Keep the product out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.

Specific Safety Precautions for Use

- Only use the Arisaka Offset Optic Mount with compatible scopes as specified in the product description.
- Ensure that the optic is securely mounted to prevent it from loosening during use.
- Avoid placing excessive stress on the mount or optic, especially during installation and adjustment.
- When canted, ensure that the optic remains centered over the bore for accurate aiming.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Select the appropriate base and optic plate for your red dot sight.
- Align the base with the top Picatinny rail of your AR15 rifle.
- Secure the base using the twin recoil lugs and clamping screw, ensuring it is tight but not overtightened.
- Attach the optic plate to the base, choosing either the 35 or 45degree offset position based on your preference.
- Ensure that all screws are tightened securely.

2. Usage:

- When using the offset red dot sight, canted the rifle to bring the optic into view.
- Maintain a firm grip on the rifle to ensure stability while aiming.
- Regularly check the mount and optic for security and alignment during use.
- If adjustments are needed, ensure the firearm is unloaded and pointed in a safe direction before making any changes.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling facility or hazardous waste collection point.

- Ensure that all components are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the Arisaka Offset Optic Mount, please refer to the manufacturer's website or contact your local retailer for assistance. Always ensure that you are following the most up-to-date safety guidelines and product information.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Arisaka Offset Optic Mount. Thank you for your attention to these important safety considerations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk