

OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, SIG ROMEO 1/ 1 PRO FOR 1.5" - 1.8" SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, SIG ROMEO 1/ 1 PRO FOR 1.5" - 1.8" SCOPE MOUNT](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104531
- Mfr. No.: OOM-P15
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: -
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.077kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 127mm

- UPC: 601557939883

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE
- About Us

Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE

Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. This product is designed to enhance your shooting experience by providing a secure and versatile mounting solution for your optic. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always inspect the product before use to ensure it is in good condition and free from defects.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose as specified in the product documentation.
- If you experience any issues or have concerns about the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the OFFSET OPTIC MOUNT is securely attached to the Picatinny rail before use.
- Avoid overtightening screws or components, as this may lead to damage or malfunction.
- When canted, ensure that the optic remains centered over the bore for accurate aiming.
- Be cautious when using the mount in adverse weather conditions, as moisture may affect the performance of the optic.
- Always verify that your red dot sight is properly mounted and adjusted before using the firearm.

Instructions for Installation and Usage

1. Installation Process:

- Begin by cleaning the Picatinny rail on your AR15 rifle to ensure a secure fit.
- Align the OFFSET OPTIC MOUNT with the desired position on the rail.
- Insert the twin recoil lugs into the rail slots and secure with the clamping screw.
- Tighten the clamping screw to a snug fit, avoiding overtightening.

2. Optic Plate Selection:

- Choose the appropriate optic plate based on the height and model of your red dot sight:
 - Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III
 - Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice
 - Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero
 - Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530
 - Plate 6: Aimpoint Acro
 - Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III
 - Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T
 - Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero
 - Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530
 - Plate 12: Aimpoint Acro

3. Usage Instructions:

- When using the OFFSET OPTIC MOUNT, ensure the rifle is pointed in a safe direction.
- Activate your red dot sight and adjust it for proper alignment with your target.
- For a canted position, tilt the rifle to make use of the offset red dot sight while maintaining proper control and safety.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the product in household waste.
- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE, please refer to the manufacturer's support resources or visit the official website.

Thank you for following these safety instructions. Your safety and satisfaction are our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk