

OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, SIG ROMEO 1/ 1 PRO FOR 1.9" - 2.2" SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, SIG ROMEO 1/ 1 PRO FOR 1.9" - 2.2" SCOPE MOUNT](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104532
- Mfr. No.: OOM-P16
- Colour: Black
- Delivery weight: 0.077kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 107mm
- UPC: 601557939890

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE
- About Us

Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE

Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. This guide provides essential safety information and instructions for the proper use and maintenance of your product. Please read this document carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm and optic.
- Always handle firearms and accessories with care and in accordance with local laws and regulations.
- Inspect the product before each use for any signs of damage or wear.
- Keep the product out of reach of children and unauthorized users.
- If you experience any issues with the product, stop using it immediately and seek assistance.

Specific Safety Precautions for Use

- Use only compatible optics as specified in the product description.
- Ensure that the optic mount is securely attached to the Picatinny rail before use.
- Avoid using the mount in extreme conditions that may compromise its integrity, such as high temperatures or heavy impacts.
- Do not modify the mount or its components in any way, as this could result in failure or injury.
- When using the offset feature, ensure that the rifle is stable and that you maintain proper shooting posture.

Instructions for Installation and Usage

Installation

- 1. Prepare the Firearm:**
 - Ensure that the firearm is unloaded and pointed in a safe direction.
- 2. Attach the Base:**
 - Align the base of the offset mount with the desired location on the Picatinny rail.
 - Secure the base using the provided clamping screw and ensure it is tightened properly.
- 3. Select the Optic Plate:**
 - Choose the appropriate optic plate based on the height of your scope (standard or tall).
 - Plates are available for various optics; refer to the product description for compatibility.
- 4. Attach the Optic Plate:**
 - Position the optic plate onto the base.
 - Secure it using the provided screws, ensuring it is firmly attached.
- 5. Check Alignment:**
 - Verify that the optic is aligned correctly with the bore of the firearm.
 - Make adjustments as necessary to ensure proper alignment.

Usage

- When using the offset optic, canted shooting should be practiced safely and responsibly.
- Always maintain a firm grip on the firearm when utilizing the offset feature.
- Regularly check the mount and optic for any signs of loosening or wear, especially after extensive use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and metal recycling.
- Remove any batteries or electronic components before disposal, if applicable.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any questions or concerns regarding the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE, please consult your retailer or the manufacturer's customer service. It is important to address any issues promptly to ensure safe use.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of your OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. Remember to always prioritize safety when handling firearms and accessories. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk