

OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, 1913 PICATINNY RAIL ADAPTER, 40 DEGREES ONLY

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, 1913 PICATINNY RAIL ADAPTER, 40 DEGREES ONLY](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104533
- Mfr. No.: OOM-P17
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: Mil Standard 1913 Rail
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.077kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 127mm

- UPC: 601557939906

Item details

Made in USA

Table of Contents

- Startpage
- OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instruction Guide
- About Us

OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instruction Guide

Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. This guide provides important safety instructions and information to ensure safe usage and proper installation of your optic mount. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose. The OFFSET OPTIC MOUNT is designed for mounting optical sights on firearms equipped with a Picatinny rail.
- Always follow local laws and regulations regarding the use and ownership of firearm accessories.
- Inspect the product before each use for any signs of damage or wear. Do not use if any part is damaged.
- Keep the product out of reach of children and unauthorized persons.
- Use appropriate protective gear when handling firearms and related accessories.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the optic mount.
- Do not exceed the specified weight limit of the optic mount.
- Avoid using the optic mount in extreme weather conditions or environments that may compromise its integrity.
- When using the offset optic mount, maintain a proper shooting stance to ensure stability and control.
- Always ensure that the optic is securely mounted before use to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Locate the top Picatinny rail on your AR15 rifle.
- Align the base of the OFFSET OPTIC MOUNT with the desired position on the Picatinny rail.
- Secure the mount using the provided Torx Plus bit drivers, ensuring that the screws are tightened to the manufacturer's specifications.
- If using the offset feature, determine whether to position the mount at a 35degree or 45degree angle based on your optic size and personal preference.

2. Usage:

- After installation, check the alignment of the optic. It should remain centered over the bore when the rifle is canted.
- When transitioning to use the offset red dot sight, maintain a proper grip on the firearm to ensure control.
- Regularly check the mount and optic for signs of loosening or wear during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If unsure about disposal methods, consult local waste management authorities for guidance.

Contact Information for Further Support

For questions or concerns regarding the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE, please refer to the manufacturer's website or contact their support team for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. Always prioritize safety and compliance with local laws when using firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk