

OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, HOLOSUN 407K & 507K FOR 1.9"- 2.2" SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, HOLOSUN 407K & 507K FOR 1.9"- 2.2" SCOPE MOUNT](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104535
- Mfr. No.: OOM-P19
- Colour: Black
- Fits / Used For: Holosun
- Delivery weight: 0.077kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 601557940063

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE
- About Us

Safety Instruction Guide for OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE

Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. This product is designed to enhance your shooting experience by providing a reliable and adjustable mounting solution for your red dot sight. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use. Always ensure it is used as intended and follow the guidelines provided.
- **Enhanced Recalls:** In the event of a product recall, you will be notified through standardized notices. Ensure you stay updated on any recall information.
- **Online Shopping:** If purchased online, the same safety protections apply as if you bought it in a physical store. Ensure the online platform meets safety requirements.
- **Special Consumer Focus:** Extra care should be taken when this product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU-based contact point.
- **Rapid Alerts:** Stay informed about any unsafe products by checking the Safety Gate system regularly.

Specific Safety Precautions for Use

- **Proper Use:** Only use the OFFSET OPTIC MOUNT for its intended purpose as described in the product specifications.
- **Compatibility:** Ensure that the optic mount is compatible with your rifle and red dot sight before installation.
- **Secure Installation:** Always ensure that the mount is securely attached to prevent accidents during use.
- **Regular Inspections:** Periodically check the mount and optic for signs of wear or damage.
- **Avoid Modifications:** Do not modify the mount or use it with incompatible components, as this may compromise safety.
- **Follow Manufacturer Instructions:** Always adhere to the instructions provided by the manufacturer for installation and usage.

Instructions for Installation and Usage

1. **Gather Required Tools:** Ensure you have the necessary tools, including the included IP20 and IP27 Torx Plus bit drivers.
2. **Position the Mount:** Place the OFFSET OPTIC MOUNT on the top Picatinny rail of your AR15 rifle.
3. **Select Offset Angle:** Choose between the 35-degree or 45-degree offset position based on your scope size and personal preference.
4. **Secure the Mount:** Use the clamping screw to securely fasten the mount to the Picatinny rail. Ensure it is tight but do not overtighten.
5. **Attach the Optic:** Follow the specific instructions for your red dot sight to attach it to the mount. Ensure it is properly aligned and secured.
6. **Check Alignment:** Before use, ensure that the optic is centered over the bore and maintains a lower 1/3 cowitness height.
7. **Test the Setup:** Once installed, test the setup at a safe location to ensure proper functionality and alignment.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the product in accordance with local regulations regarding electronic waste and aluminum materials.
- **Recycling:** If possible, recycle the product to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE, please refer to the manufacturer's support channels for assistance.

Thank you for prioritizing safety and compliance while using the OFFSET OPTIC MOUNT. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk