

# OFFSET OPTIC MOUNT - ARISAKA DEFENSE OFFSET PLATE, TRIJICON RMRCC FOR 1.9" TO 2.2" SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



## Attributes

- Name: [ARISAKA DEFENSE OFFSET PLATE, TRIJICON RMRCC FOR 1.9" TO 2.2" SCOPE MOUNT](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104538
- Mfr. No.: OOM-P22
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: Trijicon
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.077kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 127mm

- UPC: 601557940094

### **Item details**

Made in USA

# Table of Contents

- Startpage
- OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instruction Guide
- About Us

# OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE Safety Instruction Guide

## Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE designed for Trijicon RMRCC scopes. This product is engineered to enhance your shooting experience by providing a modular mounting solution. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Always handle firearms and accessories with care and follow all safety protocols.
- Inspect the product regularly for any signs of wear or damage. Do not use if damaged.
- Keep the product out of reach of children and unauthorized users.
- Follow local laws and regulations regarding the use of firearms and accessories.

## Specific Safety Precautions for Use

- Before installation, ensure that the firearm is unloaded and pointed in a safe direction.
- Always verify that the optic mount is securely attached to the firearm before use.
- When adjusting the angle of the offset mount, do so slowly and carefully to avoid accidental slips.
- Do not exceed the recommended weight limit of the mount to prevent failure during use.
- Be aware of your surroundings when using the firearm equipped with the optic mount to avoid accidents.
- If you experience any difficulties during installation or use, cease operation and consult a qualified gunsmith.

## Instructions for Installation and Usage

### Installation Steps

1. **Preparation:** Ensure the firearm is unloaded. Gather tools needed for installation, including the IP20 and IP27 Torx Plus bit drivers included with the base.
2. **Attach the Base:**
  - Position the base on the top Picatinny rail of the AR15 rifle.
  - Align the twin recoil lugs with the slots on the rail.
  - Secure the base using the clamping screw. Tighten until snug, but do not overtighten.
3. **Select the Optic Plate:**
  - Choose an appropriate optic plate based on your scope specifications (see product text for compatible plates).
  - Attach the selected plate to the base, ensuring it is properly aligned.
4. **Adjust the Angle:**
  - Decide whether to use the 35degree or 45degree offset position based on your scope size and personal preference.
  - Secure the plate in the chosen position.
5. **Final Inspection:**
  - Doublecheck that all screws and components are tight and secure before use.

### Usage Guidelines

- When using the offset red dot sight, ensure that the rifle is canted correctly to maintain sight alignment.
- Regularly check the mount and optic for stability during use, especially after extended shooting sessions.
- If switching between different optic plates, repeat the installation steps to ensure proper fit and security.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for recycling programs that accept aluminum components.
- Ensure that any electronic components (if applicable) are disposed of at designated electronic waste facilities.

## Contact Information for Further Support

For any inquiries regarding product safety, installation, or usage, please contact the manufacturer or consult a qualified firearms expert. Always ensure that you have the latest information regarding product recalls and safety updates.

By following these safety instructions, you can ensure a safe and enjoyable experience with your OFFSET OPTIC MOUNT ARISAKA DEFENSE OFFSET PLATE. Thank you for your attention to safety and responsible firearm use.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)