

# RUGER® 10/22® MOE® X-22 RIFLE STOCK - MAGPUL MOE X-22 FIXED STOCK FOR RUGER 10/22 ODG

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The MOE® X-22 Stock is the ideal rimfire stock for those looking for a lightweight, budget-friendly upgrade for their Ruger® 10/22®. Featuring M-LOK slots at the 6 o'clock position, as well as Magpul's own exclusive TSP texture on the pistol grip, the overall weight of the stock tips the scales at slightly more than a pound (19 oz.). The stock sports integral sling loops on the toe and fore end for use with locking sling swivels, and with the ergonomic nylon butt-pad, the stock has a length-of-pull measurement of 13.5". In short, the MOE X-22 Stock is built for lean efficiency. The MOE X-22 is available with two diameter barrel trays to support both factory pencil and bull-barrel profiles to provide shooters with options for various configurations.

Lightweight at just over a pound at 19 oz. Ergonomic, non-slip, polymer butt-  
ad with angled toe TSP texture 2 M-LOK® slots at 6 o'clock Integral loops  
compatible with Uncle Mike's® sling swivels Interchangeable barrel trays for  
factory pencil and bull-barrel profiles Interchangeable barrel trays accept all  
factory barrels as well as aftermarket up to 0.920" diameter (12.5" minimum  
length) ensuring proper fit with pencil profile as well as heavy bull barrels  
Compatible with semi-auto and straight pull Ruger 10/22 style receivers. Same  
as Hunter® X-22 for receiver fitments. Factory pencil and bull-barrel profiles.  
Platform Ruger® 10/22 Compatibility Drop-in design compatible with factory  
Ruger 10/22 .22 LR receivers Butt-Pad Dimensions 1.5 x 4.5 in. Length 28.6 in.  
Length of Pull 13.5 in. Weight 18.9 oz.

The MOE® X-22 Stock is the ideal rimfire stock for those looking for a lightweight, budget-friendly upgrade for their Ruger® 10/22®. Featuring M-LOK slots at the 6 o'clock position, as well as Magpul's own exclusive TSP texture on the pistol grip, the overall weight of the stock tips the scales at slightly more than a pound (19 oz.). The stock sports integral sling loops on the toe and fore end for use with locking sling swivels, and with the ergonomic nylon butt-pad, the stock has a length-of-pull measurement of 13.5". In short, the MOE X-22 Stock is built for lean efficiency. The MOE X-22 is available with two diameter barrel trays to support both factory pencil and bull-barrel profiles to provide shooters with options for various configurations.

Lightweight at just over a pound at 19 oz. Ergonomic, non-slip, polymer butt-  
ad with angled toe TSP texture 2 M-LOK® slots at 6 o'clock Integral loops  
compatible with Uncle Mike's® sling swivels Interchangeable barrel trays for  
factory pencil and bull-barrel profiles Interchangeable barrel trays accept all  
factory barrels as well as aftermarket up to 0.920" diameter (12.5" minimum  
length) ensuring proper fit with pencil profile as well as heavy bull barrels  
Compatible with semi-auto and straight pull Ruger 10/22 style receivers. Same  
as Hunter® X-22 for receiver fitments. Factory pencil and bull-barrel profiles.  
Platform Ruger® 10/22 Compatibility Drop-in design compatible with factory  
Ruger 10/22 .22 LR receivers Butt-Pad Dimensions 1.5 x 4.5 in. Length 28.6 in.  
Length of Pull 13.5 in. Weight 18.9 oz.



## Attributes

- Name: [MAGPUL MOE X-22 FIXED STOCK FOR RUGER 10/22 ODG](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 430106908

- Mfr. No.: MAG1428-ODG
- Action Type: Rimfire
- Colour: O.D. Green
- Material: Polymer
- Model: 10/22
- Style: Fixed
- Weapon type: Ruger
- Weight: 1.181 lbs
- Delivery weight: 1.179kg
- Shipping height: 89mm
- Shipping width: 178mm
- Shipping length: 813mm
- UPC: 840815147602

## **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for RUGER® 10/22® MOE® X22 RIFLE STOCK
- About Us

# Safety Instruction Guide for RUGER® 10/22® MOE® X22 RIFLE STOCK

## Introduction

Thank you for choosing the RUGER® 10/22® MOE® X22 Rifle Stock by Magpul. This product is designed to enhance the performance and comfort of your Ruger® 10/22® rifle. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- **Product Safety:** Ensure you follow all safety instructions to prevent accidents and injuries.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. If a recall occurs, follow the instructions provided.
- **Online Shopping:** If purchased online, ensure the retailer complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, contact an EUbased representative.
- **Rapid Alerts:** Regularly check the EU's Safety Gate platform for updates on any unsafe products.

## Specific Safety Precautions for Use

- **Read the Manual:** Before using the stock, read all instructions and warnings in this guide.
- **Inspect Before Use:** Check the stock for any visible damage or defects before installation. Do not use if damaged.
- **Proper Fit:** Ensure the stock is compatible with your Ruger® 10/22® model. Use only with specified receivers.
- **Sling Swivels:** Use only compatible sling swivels with the integral loops. Ensure they are securely attached before use.
- **Avoid Modifications:** Do not modify the stock or any components. Modifications can lead to unsafe conditions.
- **Safe Handling:** Always treat your firearm with respect. Keep it pointed in a safe direction and keep your finger off the trigger until ready to shoot.
- **Storage:** Store the rifle in a secure location, out of reach of children and unauthorized users.

## Instructions for Installation and Usage

### Installation Instructions

1. **Gather Tools:** Ensure you have the necessary tools for installation, including a screwdriver.
2. **Remove Existing Stock:**
  - Unload the rifle completely.
  - Remove the existing stock by unscrewing it from the receiver.
3. **Install the MOE® X22 Stock:**
  - Align the stock with the receiver.
  - Secure the stock using the screws provided. Ensure they are tightened but do not overtighten.
4. **Attach Sling Swivels:**
  - Attach compatible sling swivels to the integral loops.
5. **Check Fit:** Ensure the stock is securely attached and fits properly.

### Usage Instructions

- **Length of Pull Adjustment:** The stock features a fixed length of pull of 13.5 inches. Ensure this length is comfortable for your shooting stance.

- **Shooting Position:** Use the stock in a stable shooting position. Maintain proper firearm handling practices.
- **Cleaning and Maintenance:** Regularly clean the stock and inspect for wear. Use a soft cloth and suitable cleaning products.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the stock responsibly. Do not discard in regular household waste.
- **Recycling:** Check local regulations for recycling options for polymer materials. Follow guidelines for the disposal of firearm accessories.

## Contact Information for Further Support

For any further questions or support regarding the RUGER® 10/22® MOE® X22 Rifle Stock, please refer to your retailer or manufacturer's website for assistance.

By following these guidelines, you ensure safe and effective use of your RUGER® 10/22® MOE® X22 Rifle Stock. Thank you for your attention to safety, and enjoy your shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)