

# **SUPER PRECISION AR-15 MOUNTS - GEISSELE AUTOMATICS 34MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The Geissele AR-15/M4 Super Precision series of scope mounts are optimized for use with an AR-15/M4 upper. The mounting surface spans 7 picatinny sections and utilizes 4 shear lugs. These mounts use Geissele's update of the classic nut and bolt method for clamping the mount to the picatinny rail, which is the most secure method of attaching your scope to your weapon. Each nut and bolt combination provides 1,400 pounds of clamping force, much more than any lever mounting arrangement. The Geissele Super Precision Mounts are available in 7075-T6 high strength aluminum. To create a mount with the best possible return to zero Geissele machines the entire mount from a single piece of billet aluminum. This allows them to add pockets and ribs throughout the mount for added strength and rigidity. It allows them to line bore the caps to each another and then serialize the caps to the body. The line bore operation creates the best possible fit to the body of your scope so that you can apply proper torque without fear of crushing or damaging the body of your scope. Another advantage of machining from a single piece of aluminum is that Geissele is able to create a mount with cap locations that will suit a wide variety of scopes. All mounts are available in zero and 20 MOA cant options, and in either black type 3 hard coat anodize or DDC (Desert Dirt Color) type 3 hard coat anodize.



## **Attributes**

- Name: [GEISSELE AUTOMATICS 34MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 430107576
- Mfr. No.: 05-417S
- Elevation: 0 MOA
- Finish: DDC
- Height: 1.54"
- Scope Tube Diameter: 34mm
- Style: Picatinny Rail
- Delivery weight: 0.318kg
- Shipping height: 109mm
- Shipping width: 112mm
- Shipping length: 196mm
- UPC: 817953020227

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SUPER PRECISION AR15 MOUNTS GEISSELE AUTOMATICS 34MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC
- About Us

# Safety Instruction Guide for SUPER PRECISION AR15 MOUNTS GEISSELE AUTOMATICS 34MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC

## Introduction

Thank you for choosing the Geissele Super Precision AR15 Mount. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your mount. Please read this guide thoroughly before using the product.

## General Safety Guidelines

- Ensure that the mount is compatible with your specific AR15/M4 upper before installation.
- Always inspect the mount for any visible damage before use. Do not use if damaged.
- Follow all manufacturer instructions for installation and usage.
- Keep the mount and all accessories out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Clamping Force:** The mount provides 1,400 pounds of clamping force. Ensure that all nuts and bolts are securely tightened to avoid any risk of detachment during use.
- **Scope Compatibility:** Verify that your scope is compatible with the 34mm tube diameter of the mount. Improper fit may cause damage to the scope or mount.
- **Torque Specifications:** Use a torque wrench to apply the recommended torque to avoid overtightening, which could damage the scope body.
- **Installation Environment:** Perform installation in a clean and dry environment to prevent debris from entering the mount or scope.
- **Weight Limit:** Ensure that the combined weight of the scope and any additional accessories does not exceed the mount's rated capacity.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a torque wrench, Allen keys, and cleaning materials.
- Ensure that the work area is clean and free from distractions.

### 2. Installation Steps:

- Remove any existing mounts or accessories from the picatinny rail.
- Clean the mounting surface of the rail to remove any dirt or debris.
- Position the Geissele mount on the desired location of the picatinny rail.
- Align the shear lugs with the rail slots to ensure a secure fit.
- Insert the provided bolts through the mount and into the rail.
- Tighten the bolts gradually using a torque wrench, following the recommended torque specifications.

### 3. Final Checks:

- After installation, check the alignment of the scope and ensure that it is securely mounted.

- Perform a function check by simulating normal use to ensure stability.

## Disposal Instructions

- Dispose of the mount in accordance with local regulations for aluminum and metal products.
- Do not dispose of the mount in regular household waste. Instead, seek out recycling facilities that accept metal products.

## Contact Information for Further Support

For any further inquiries or assistance regarding the Geissele Super Precision Mount, please refer to the manufacturer's website or contact the designated support channels.

Thank you for following this safety instruction guide. Your safety and satisfaction are our top priorities. Enjoy using your Geissele Super Precision Mount responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)