

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 9MM (0.356") 120GR TRUNCATED CONE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 9MM \(0.356"\) 120GR TRUNCATED CONE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 430108470
- Mfr. No.: 90239
- Bullet Style: Truncated Cone
- Bullet Weight (Grains): 120
- Caliber: 9mm
- Cavities: 2
- Diameter (in): 0.356
- Delivery weight: 0.396kg
- Shipping height: 51mm
- Shipping width: 66mm
- Shipping length: 269mm
- UPC: 734307902391

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Pistol Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this document carefully before use.

General Safety Guidelines

- Always ensure that the product is used in accordance with local laws and regulations regarding firearms and ammunition.
- Keep the molds out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of damage or wear. Do not use if damaged.
- Use the molds only for their intended purpose, which is to cast bullets for 9mm firearms.
- Always wear appropriate personal protective equipment (PPE), such as safety goggles and gloves, when handling molten lead or the molds.
- Be aware of the risks associated with lead exposure. Follow all safety guidelines related to lead handling and casting.

Specific Safety Precautions for Use

- Ensure that your workspace is wellventilated to avoid inhalation of fumes during casting.
- Do not leave molten lead unattended. Always monitor the casting process.
- Use tools specifically designed for handling hot materials to avoid burns.
- Avoid using the molds near flammable materials or in areas with poor ventilation.
- If you experience any symptoms of lead poisoning (e.g., headaches, nausea), seek medical attention immediately.
- Store the molds in a dry, cool place when not in use to prevent corrosion and degradation.

Instructions for Installation and Usage

1. Setting Up the Molds:

- Ensure that your workspace is clean and free of debris.
- Place the molds on a stable, heatresistant surface.
- Check that the sprue plate is securely attached.

2. Melting the Lead:

- Use a lead melting pot or furnace to heat the lead to the appropriate temperature (approximately 700°F or 370°C).
- Follow the manufacturer's instructions for your melting equipment.

3. Casting Bullets:

- Once the lead is melted, carefully pour the molten lead into the mold cavities.
- Fill each cavity to the brim to ensure proper bullet formation.
- Allow the lead to cool and solidify before removing the bullets from the molds.

4. Removing Bullets:

- Once cooled, carefully open the molds and remove the cast bullets.

- Use a mallet or bullet puller if necessary, but take care not to damage the molds.

5. Cleaning and Maintenance:

- After use, clean the molds with a soft brush to remove any lead residue.
- Store the molds in a safe, dry location.

Disposal Instructions

- Dispose of any lead scrap or waste in accordance with local regulations regarding hazardous materials.
- Do not throw lead waste in regular trash. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the use of this product, please refer to the manufacturer's contact resources. Always ensure you have the latest information and updates regarding safety practices and product recalls.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your 2 Cavity Pistol Bullet Molds. Stay informed and prioritize safety during all aspects of bullet casting. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk