

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 45 CALIBER (0.457") 500GR FLAT NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.457"\) 500GR FLAT NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 430108477
- Mfr. No.: 90376
- Bullet Weight (Grains): 500
- Caliber: 45 Caliber
- Cavities: 2
- Diameter (in): 0.457
- Delivery weight: 0.396kg
- Shipping height: 51mm
- Shipping width: 66mm
- Shipping length: 269mm
- UPC: 734307903763

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for purchasing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in the product description.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling or using the bullet molds.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before each use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.
- Follow all local laws and regulations regarding the use of bullet molds and reloading equipment.

Specific Safety Precautions for Use

• Hazard Identification:

- Hot surfaces: The molds can become very hot during use. Avoid direct contact with bare skin.
- Sharp edges: Be cautious of sharp edges when handling the molds and components.
- Lead exposure: Follow proper safety measures to minimize lead exposure when casting bullets.

• Avoiding Hazards:

- Use heatresistant gloves when handling the molds after use.
- Use tools or equipment designed for handling hot items.
- Ensure adequate ventilation in the workspace to avoid inhaling fumes.
- Use a leadsafe work area and follow proper lead handling procedures.

Instructions for Installation and Usage

• Installation:

- Ensure that your reloading setup is stable and secure.
- Attach the mold handles according to the manufacturer's instructions.
- Verify that the mold cavities are clean and free of debris before use.

• Usage:

- Preheat the molds according to the recommended temperature settings.
- Pour the molten lead into the cavities carefully and steadily to avoid spills.
- Allow the bullets to cool completely before removing them from the mold.
- Store the molds in a dry, cool place when not in use.

Disposal Instructions

- Dispose of any lead waste or scrap according to local regulations regarding hazardous materials.

- Do not dispose of the product in regular household waste.
- Consider recycling options for metal components where applicable.

Contact Information for Further Support

For any safety inquiries or assistance regarding the product, please contact your local distributor or refer to the manufacturer's website for further support.

Conclusion

By following these safety guidelines and precautions, you can ensure a safer experience while using the 2 Cavity Rifle Bullet Molds by Lee Precision. Stay informed about safety practices and report any unsafe conditions or incidents to the appropriate authorities. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk