

# COLLET NECK SIZER DIES - LEE PRECISION .300 AAC BLACKOUT COLLET NECK SIZING DIE ONLY

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

There is no loading system that will load more accurate ammunition than Lee Collet Dies. A collet squeezes the case neck against a precision mandrel for a perfect fit with minimum run-out. No lube case is needed. Cases last ten times longer, so the savings on only 35 cases will pay for the dies.



## Attributes

- Name: [LEE PRECISION .300 AAC BLACKOUT COLLET NECK SIZING DIE ONLY](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 430108991
- Mfr. No.: 91017
- Cartridge: 300 AAC Blackout
- Die Style: Neck Sizing Die
- Delivery weight: 0.204kg
- Shipping height: 38mm
- Shipping width: 41mm
- Shipping length: 124mm
- UPC: 734307910174

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for COLLET NECK SIZER DIES LEE PRECISION .300 AAC BLACKOUT
- About Us

# **Safety Instruction Guide for COLLET NECK SIZER DIES LEE PRECISION .300 AAC BLACKOUT**

## **Introduction**

Thank you for choosing the COLLET NECK SIZER DIES by Lee Precision. This guide provides essential safety information to ensure the safe and effective use of your die. Please read this document carefully before use.

## **General Safety Guidelines**

- Ensure that the die is used only for its intended purpose, which is to size the neck of .300 AAC Blackout cartridges.
- Always follow the manufacturer's instructions for loading and reloading ammunition.
- Keep the die and all reloading equipment out of reach of children and unauthorized individuals.
- Inspect the die regularly for any signs of wear or damage before each use.
- Use appropriate personal protective equipment (PPE), such as safety glasses, when reloading ammunition.

## **Specific Safety Precautions for Use**

- Always use the die in a wellventilated area to avoid inhaling any dust or particles.
- Handle all ammunition components with care to prevent accidents.
- Do not exceed the recommended load specifications for the .300 AAC Blackout cartridge.
- Avoid using the die if you are tired, distracted, or under the influence of substances that could impair your judgment.
- Ensure that your work area is clean and organized to minimize the risk of accidents.

## **Instructions for Installation and Usage**

### **1. Installation**

- Ensure that your reloading press is properly secured and stable.
- Insert the COLLET NECK SIZER DIE into the reloading press according to the manufacturer's instructions.
- Adjust the die to the desired height for proper neck sizing.

### **2. Usage**

- Prepare your brass cases by cleaning them to remove any dirt or debris.
- Insert the brass case into the die and apply steady pressure to size the neck.
- Check the case for proper fit with the mandrel after sizing.
- Repeat the sizing process for all cases as needed.

## **Disposal Instructions**

- Dispose of any damaged or worn dies in accordance with local regulations.
- Recycle brass cases and other materials whenever possible.
- Do not dispose of ammunition components in regular household waste.

## **Contact Information for Further Support**

For any safety inquiries or further assistance, please consult your local Lee Precision distributor or authorized

dealer.

## Conclusion

By following these safety guidelines and instructions, you can ensure a safe and effective reloading experience with the COLLET NECK SIZER DIES LEE PRECISION .300 AAC BLACKOUT. Always prioritize safety and adhere to best practices for reloading ammunition.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)