

COLLET NECK SIZER DIES - LEE PRECISION .204 RUGER COLLET NECK SIZING DIE ONLY

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

There is no loading system that will load more accurate ammunition than Lee Collet Dies. A collet squeezes the case neck against a precision mandrel for a perfect fit with minimum run-out. No lube case is needed. Cases last ten times longer, so the savings on only 35 cases will pay for the dies.



Attributes

- Name: [LEE PRECISION .204 RUGER COLLET NECK SIZING DIE ONLY](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 430109003
- Mfr. No.: 91001
- Cartridge: 204 Ruger
- Die Style: Neck Sizing Die
- Delivery weight: 0.204kg
- Shipping height: 38mm
- Shipping width: 41mm
- Shipping length: 124mm
- UPC: 734307910013

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for COLLET NECK SIZER DIES LEE PRECISION .204 RUGER](#)
- [About Us](#)

Safety Instruction Guide for COLLET NECK SIZER DIES LEE PRECISION .204 RUGER

Introduction

Thank you for choosing the COLLET NECK SIZER DIES LEE PRECISION .204 RUGER. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before use.

General Safety Guidelines

- Always ensure that you are using the product in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of wear or damage. Do not use if damaged.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with the appropriate caliber (.204 Ruger) to avoid malfunction or accidents.
- Ensure that the workspace is clean, welllit, and free from distractions.
- Wear appropriate safety gear, including safety glasses and gloves, to protect against any potential hazards.
- Avoid using excessive force when operating the die to prevent injury or damage.
- Do not modify the product in any way, as this may lead to unsafe conditions.
- Follow all local laws and regulations regarding reloading and ammunition.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before beginning the setup.
- Ensure that your reloading press is compatible with the collet neck sizing die.

2. Installation:

- Securely mount the collet neck sizing die in your reloading press according to the manufacturer's instructions.
- Adjust the die to the appropriate height based on your specific reloading setup.

3. Usage:

- Insert the case into the die, ensuring proper alignment.
- Gently pull the press handle to engage the collet, which will squeeze the case neck against the precision mandrel.
- Check the case for proper sizing and runout after processing.
- Repeat the process for all cases needing resizing.

4. PostUse:

- Clean the die after use to maintain its functionality and longevity.
- Store the die in a safe, dry place away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any damaged or unusable parts in accordance with local regulations.
- Do not dispose of the product in regular household waste. Instead, consult local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any questions or concerns regarding the use of the COLLET NECK SIZER DIES LEE PRECISION .204 RUGER, please contact the manufacturer or your local distributor for assistance.

By following these safety instructions and guidelines, you can ensure a safe and effective reloading experience with your COLLET NECK SIZER DIES LEE PRECISION .204 RUGER. Thank you for prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk