

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID SS ADJUSTABLE GAS BLOCK .625" TAN

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID SS ADJUSTABLE GAS BLOCK .625" TAN](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109751
- Mfr. No.: SABO-DI-625ST
- Inside Diameter: .625
- Material: Stainless Steel
- Style: Screw
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850051342471

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instructions for AR15 Solid Adjustable Gas Block](#)
- [About Us](#)

Safety Instructions for AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This guide provides important safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always follow the manufacturer's instructions when using this product.
- Ensure that the gas block is compatible with your AR15 platform.
- Regularly inspect the gas block for any signs of wear or damage.
- Store the gas block in a dry place away from direct sunlight and extreme temperatures.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the firearm is unloaded before installation. Always verify that the weapon is clear of ammunition.
- **Gas Adjustment:** Adjust the gas flow only when the firearm is in a safe and controlled environment. Make adjustments gradually and test fire to ensure proper function.
- **Handling:** When handling the gas block, wear appropriate protective gear, including safety glasses and gloves.
- **SBR and Suppressor Use:** When using ShortBarreled Rifles (SBRs) or suppressors, ensure that the bleedoff port is functioning correctly to avoid excessive pressure buildup.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and in a safe condition.
- Gather the necessary tools: 3/32 X 6" Lshaped hex keys and the provided set screws.

2. Installation Steps

- Remove the existing gas block if applicable.
- Position the Superlative Arms gas block over the barrel, aligning it with the gas port.
- Secure the gas block using the (2) 1032 x 3/16" set screws provided.
- Tighten the screws evenly to ensure a secure fit.

3. Gas Adjustment

- Locate the gas adjustment screw on the gas block.
- Turn the screw to adjust the gas flow. The patented design allows for 30 locked positions.
- Test fire the firearm to ensure proper function and adjust as necessary.

4. PostInstallation Check

- After installation, conduct a thorough inspection of the gas block to ensure it is secure and functioning properly.

- Regularly check for any signs of wear, erosion, or contamination.

Disposal Instructions

- Dispose of the gas block and any related materials in accordance with local regulations.
- Do not dispose of the gas block in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact information provided in the product packaging or documentation.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Superlative Arms AR15 Solid Adjustable Gas Block!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk