

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID SS ADJUSTABLE GAS BLOCK .875" TAN

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID SS ADJUSTABLE GAS BLOCK .875" TAN](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109753
- Mfr. No.: SABO-DI-875ST
- Inside Diameter: .875
- Material: Stainless Steel
- Style: Screw
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850051342501

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- AR15 Solid Adjustable Gas Block Safety Instruction Guide
- About Us

AR15 Solid Adjustable Gas Block Safety Instruction Guide

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This guide provides important safety instructions and information to ensure the safe use and installation of your gas block. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe use of the gas block by following all instructions provided.
- Be aware of potential hazards associated with the installation and operation of the gas block.
- Regularly check for updates regarding recalls or safety notices related to this product.
- Always use the gas block in accordance with the manufacturer's specifications and recommendations.
- Keep the product out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling firearms and accessories.
- Ensure that the firearm is unloaded before installation or adjustment of the gas block.
- Do not modify the gas block in any way, as this may compromise safety and functionality.
- Be cautious of hot surfaces; the gas block may become hot during operation.
- When using SBRs (Short Barrel Rifles) and/or suppressors, monitor gas flow carefully to prevent excessive pressure buildup.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure you have all included components: assembled gas block, (2) 1032 x 3/16" set screws, (1) gas tube roll pin, and (1) 3/32 x 6" Lshaped hex key.
- Ensure your work area is clean and welllit.

2. Disassembly of Firearm:

- Unload the firearm completely.
- Disassemble the upper receiver to access the gas block area.

3. Installation of Gas Block:

- Position the gas block onto the barrel, ensuring it aligns properly with the gas port.
- Secure the gas block using the provided set screws. Tighten them to the manufacturer's specifications.
- Install the gas tube roll pin to secure the gas tube in place.

4. Adjustment of Gas Flow:

- Use the gas adjustment screw to set the desired gas flow. Ensure the patented adjustment detent is engaged for proper operation.
- Test the firearm to ensure proper cycling and performance.

Usage

- Regularly check the gas block for signs of wear or damage.
- Clean the gas block as part of regular firearm maintenance to prevent carbon buildup.
- If you experience any malfunctions or issues, discontinue use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations regarding metal and firearm accessory disposal.
- Do not dispose of the gas block in regular household waste.

Contact Information for Further Support

For safety inquiries or additional support, please reach out to the manufacturer or consult the product documentation.

By following these safety instructions, you can ensure the safe and effective use of your Superlative Arms AR15 Solid Adjustable Gas Block. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk