

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .625" GRAY

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .625" GRAY](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109756
- Mfr. No.: SABO-DI-625SGT
- Inside Diameter: .625
- Material: Titanium
- Style: Screw
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846407

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Solid Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This guide provides essential safety information and instructions to ensure proper use and maintenance of your gas block. Please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the gas block by following all instructions. This product is designed for the AR15 platform and should only be used with compatible firearms.
- **Enhanced Recalls:** Stay informed about any product recalls. If you receive notice of a recall, follow the instructions provided to return or repair the product.
- **Online Shopping:** When purchasing online, ensure the seller complies with safety regulations similar to those in physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure it is stored in a safe place away from minors.
- **EU Contact Point:** For any safety inquiries, please contact the designated EUbased support service.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates on unsafe products and recalls.

Specific Safety Precautions for Use

- **Read Instructions:** Before use, read all instructions and warnings provided in this guide.
- **Inspect Before Use:** Always inspect the gas block for any signs of damage or wear before installation.
- **Use Proper Tools:** Ensure that you have the correct tools for installation and adjustment to avoid damage to the gas block or firearm.
- **Avoid Overtightening:** When installing, do not overtighten screws, as this may damage the gas block or firearm.
- **Wear Safety Gear:** Always wear appropriate safety gear, including eye protection, when handling firearms and accessories.
- **Keep Away from Heat:** Avoid exposing the gas block to extreme heat, which may affect its performance and safety.
- **Regular Maintenance:** Regularly clean and maintain the gas block to ensure optimal performance and safety.

Instructions for Installation and Usage

1. Gather Required Tools:

- (1) 3/32 X 6" LShaped Hex Keys
- (2) 1032 x 3/16" Set Screws
- (1) Gas Tube Roll Pin

2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing gas block if applicable.
- Align the new gas block with the barrel and ensure it fits securely.
- Insert the gas tube roll pin as needed.
- Use the Lshaped hex key to tighten the set screws into place. Ensure they are snug but do not overtighten.

- Adjust the gas adjustment screw to the desired setting, ensuring it is secure.
- Check for any gas leaks or misalignment after installation.

3. Usage:

- After installation, test the firearm in a safe environment to ensure proper function.
- If using with SBRs or suppressors, monitor the bleedoff port to ensure proper operation.
- Adjust the gas flow as needed for optimal performance based on your specific setup.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations.
- Do not dispose of any components in regular household waste if they are considered hazardous.
- Contact your local waste management facility for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the installation or usage of the AR15 Solid Adjustable Gas Block, please refer to your local authorized dealer or the manufacturer's website for support resources.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk