

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .875" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .875" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109759
- Mfr. No.: SABO-DI-875SDT
- Inside Diameter: .875
- Material: Titanium
- Style: Screw
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846476

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Solid Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This guide provides essential safety instructions and information to ensure the safe use of your gas block. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that all safety measures are followed to prevent accidents and injuries.
- This product is designed for use with the AR15 platform only.
- Keep the gas block out of reach of children and vulnerable individuals.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.
- Regularly inspect the gas block for any signs of damage or wear.
- If you experience any issues or notice any irregularities, discontinue use and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Improper installation may lead to malfunctions or injuries.
 - Excessive gas pressure can cause blowback, leading to potential injuries.
- **Avoiding Hazards:**
 - Ensure the gas block is properly adjusted before use.
 - Do not exceed the recommended gas settings for your specific firearm setup.
 - Always check the compatibility of the gas block with your firearm before installation.
- **Age Specific Warnings:**
 - This product is intended for use by individuals aged 18 and older.
 - Ensure that inexperienced users are supervised by a knowledgeable adult.

Instructions for Installation and Usage

1. Installation Instructions:

- Gather all necessary tools: (2) 1032 x 3/16" set screws, (1) gas tube roll pin, and (1) 3/32 x 6" Lshaped hex key.
- Ensure the firearm is unloaded and in a safe condition before beginning installation.
- Remove the existing gas block from your AR15 if applicable.
- Align the Superlative Arms gas block with the barrel, ensuring that the bleedoff port is positioned at the front of the block.
- Secure the gas block in place using the provided set screws.
- Insert the gas tube roll pin to secure the gas tube in place.
- Adjust the gas flow using the gas adjustment screw, ensuring it is locked in place.
- Perform a function check to ensure proper operation before live fire.

2. Usage Instructions:

- After installation, ensure that the gas block is properly adjusted to your preferred settings.
- When using Short Barrel Rifles (SBRs) or suppressors, ensure the bleedoff port is functioning to reduce blowback.
- Monitor the performance of the gas block during use and make adjustments as necessary.
- Always clean the gas block regularly to prevent carbon buildup and ensure optimal performance.

Disposal Instructions

- Dispose of the gas block and any associated materials in accordance with local regulations.
- Do not dispose of the gas block in regular household waste.
- Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use and safety of the AR15 Solid Adjustable Gas Block, please consult a qualified gunsmith or contact the manufacturer directly.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the Superlative Arms AR15 Solid Adjustable Gas Block. Always prioritize safety and consult professionals when in doubt. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk