

# AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .936" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



## Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .936" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109761
- Mfr. No.: SABO-DI-936SDT
- Inside Diameter: .936
- Material: Titanium
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846513

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Solid Adjustable Gas Block
- About Us

# Safety Instruction Guide for AR15 Solid Adjustable Gas Block

## Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safe operation. Please read this safety instruction guide carefully to understand how to use and maintain the gas block safely and effectively.

## General Safety Guidelines

- Ensure safe use of all nonfood products, including new technologies and online purchases.
- Be aware of risks not addressed by other EU laws.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.
- Always follow the manufacturer's instructions to avoid hazards.

## Specific Safety Precautions for Use

- **Read Instructions:** Before installation and use, read all instructions thoroughly.
- **Wear Safety Gear:** Always wear appropriate safety gear, such as safety glasses and gloves, when handling firearms and related accessories.
- **Check Compatibility:** Ensure that the gas block is compatible with your AR15 model before installation.
- **Inspect for Damage:** Before use, inspect the gas block for any signs of damage or wear.
- **Avoid Modifications:** Do not modify the gas block or its components, as this may compromise safety and performance.
- **Use with Caution:** When using shortbarreled rifles (SBRs) or suppressors, be cautious of the gas bleedoff to prevent excessive blowback.
- **Keep Out of Reach of Children:** Ensure that all firearm accessories are stored safely and out of reach of children.

## Instructions for Installation and Usage

### Installation

1. **Gather Tools:** Before installation, gather the following tools:
  - 1032 x 3/16" set screws
  - Gas tube roll pins
  - 3/32 x 6" Lshaped hex keys
2. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
3. **Remove Existing Gas Block:** If applicable, carefully remove the existing gas block from the barrel.
4. **Install the New Gas Block:**
  - Slide the new gas block onto the barrel, ensuring it is positioned correctly.
  - Secure the gas block using the provided set screws.
5. **Check Alignment:** Ensure that the gas adjustment screw is properly aligned and accessible.
6. **Final Inspection:** Doublecheck all screws and fittings to ensure they are tight and secure.

### Usage

- **Gas Adjustment:** Adjust the gas flow using the patented adjustment detent located outside of the block. Ensure it is locked in place after adjustments.
- **Monitor Performance:** During use, monitor the performance of the firearm. If you notice excessive recoil or cycling issues, recheck the gas settings.
- **Regular Maintenance:** Periodically inspect and clean the gas block to prevent carbon buildup and

ensure optimal performance.

## Disposal Instructions

- Dispose of the gas block and any associated components in accordance with local regulations.
- Do not dispose of in household waste. Instead, use designated recycling or hazardous waste facilities if applicable.

## Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of the AR15 Solid Adjustable Gas Block, please refer to the manufacturer's website or contact their customer service for assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your Superlative Arms AR15 Solid Adjustable Gas Block. Thank you for prioritizing safety and performance in your shooting experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)