

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .936" GRAY

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID TITANIUM ADJUSTABLE GAS BLOCK .936" GRAY](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109762
- Mfr. No.: SABO-DI-936SGT
- Inside Diameter: .936
- Material: Titanium
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846520

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Superlative Arms AR15 Solid Adjustable Gas Block
- About Us

Safety Instruction Guide for Superlative Arms AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This guide provides essential safety instructions and information to ensure the safe use and installation of your gas block. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Always wear appropriate personal protective equipment (PPE) when handling firearms and related components.
- Keep the gas block and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the gas block for any signs of wear or damage before each use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Hazard Identification:** Improper installation or use may lead to malfunctions or safety hazards, including excessive recoil, blowback, or failure to cycle.
- **Avoid Contamination:** Ensure that the gas adjustment screw remains clean and free from contaminants to prevent erosion or seizing.
- **Safety Mechanism:** Be mindful of the safety mechanism that prevents unintentional backing out of the gas adjustment screw.
- **Use with Caution:** When using ShortBarreled Rifles (SBRs) or suppressors, be aware of the potential for increased gas pressure and ensure proper use of the bleedoff port.

Instructions for Installation and Usage

1. Installation Instructions:

- Ensure the firearm is unloaded and safe before beginning installation.
- Remove the existing gas block, if applicable, and clean the barrel surface.
- Position the Superlative Arms gas block over the barrel at the designated location.
- Secure the gas block using the provided (2) 1032 x 3/16" set screws.
- Ensure that the gas adjustment screw is properly positioned and tightened.
- Confirm that the bleedoff port is oriented correctly at the front of the block.
- Reinstall the gas tube using the included roll pins.
- Use the provided Lshaped hex keys for adjustments as needed.

2. Usage Instructions:

- Adjust the gas flow using the gas adjustment screw to suit your specific needs.
- After making adjustments, ensure that the adjustment detent is securely in place.
- Test the firearm in a safe environment to ensure proper functionality.
- Monitor the performance of the gas block during use and make adjustments as necessary.

Disposal Instructions

- Dispose of the gas block and any associated components in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for designated recycling or hazardous

waste disposal facilities.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the manufacturer's official website or contact your local distributor for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk