

M5 (.308) ATLAS S-ONE M-LOK FREE FLOATING HANDGUARDS FOR AR 308 - M5 (.308) ATLAS S-ONE 15" HANDGUARD M-LOK FOR AR-308 ODG

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 12.7" - 7.66 oz / 15" - 8.71 oz Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Mounting Hardware Weight: 4.72 oz (same across all S-ONE Handguard options) FEATURES: Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels NOT Compatible with M5E1 Enhanced Upper Receivers SPECS Made In America? Yes Platform M5 Series ATLAS Attachment Type M-LOK Material Machined from 6061-T6 aluminum M-LOK Handguard Weights: 12.7" - 7.66 oz / 15" - 8.71 oz Other Mounting Hardware Weight: 4.72 oz ATLAS Handguards are designed to match seamlessly with Aero's M5E1 Threaded Upper Receivers. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. PLEASE NOTE: These handguards do not come with a wrench. A standard armorers wrench will work with all M5 ATLAS Handguards.



Attributes

- Name: M5 (.308) ATLAS S-ONE 15" HANDGUARD M-LOK FOR AR-308 ODG
- Manufacturer: AERO PRECISION
- Product no.: 430112203
- Mfr. No.: APRA538172A
- Color: O.D. Green
- Length: 15"
- Make: AR .308
- Material: -
- Style: -
- Type: M-LOK
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 457mm
- UPC: 840014618040

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den M5 \(.308\) ATLAS SONE MLOK Handguard](#)
- [English: Safety Instruction Guide for M5 \(.308\) ATLAS SONE MLOK Free Floating Handguards](#)

Sicherheitshinweise für den M5 (.308) ATLAS SONE MLOK Handguard

Einführung

Herzlichen Glückwunsch zum Kauf des M5 (.308) ATLAS SONE MLOK Handguards von Aero Precision. Dieser Handguard wurde entwickelt, um die Leistung und Benutzerfreundlichkeit deines AR308 zu verbessern. Bitte lese diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass du das Produkt sicher und effektiv verwendest.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du alle Anweisungen und Warnungen in diesem Handbuch befolgst.
- Verwende den Handguard nur für den vorgesehenen Zweck.
- Bewahre alle Teile und Zubehörteile außerhalb der Reichweite von Kindern auf.
- Überprüfe regelmäßig den Handguard auf Beschädigungen oder Abnutzungserscheinungen.
- Melde unsichere Produkte oder Unfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Benutzung

- Verwende nur die im Lieferumfang enthaltene Montagehardware.
- Achte darauf, dass der Handguard korrekt installiert ist, um ein Verrutschen oder Lösen während des Gebrauchs zu vermeiden.
- Bei der Installation des Handguards sollte der Mündungsfeuer des Gewehrs nicht blockiert sein.
- Trage beim Umgang mit dem Handguard geeignete Schutzausrüstung, insbesondere beim Montieren oder Demontieren.
- Halte den Handguard von offenen Flammen oder extremen Temperaturen fern.

Anweisungen für Installation und Nutzung

1. Vorbereitung:

- Stelle sicher, dass das Gewehr entladen ist, bevor du mit der Installation beginnst.
- Lege alle benötigten Werkzeuge bereit, einschließlich eines StandardWaffenmeisterSchraubenschlüssels.

2. Installation:

- Entferne den alten Handguard, falls vorhanden.
- Positioniere den M5 ATLAS SONE Handguard über dem Lauf und dem Empfänger.
- Verwende die mitgelieferten Schraubmuttern und die TurnbuckleSchraube, um den Handguard sicher zu befestigen.
- Achte darauf, dass der rastende Stift richtig eingesetzt ist, um eine positive Registrierung zu gewährleisten.
- Überprüfe die Montage auf festen Sitz und Stabilität.

3. Nutzung:

- Verwende den Handguard wie vorgesehen, um Zubehör wie Optiken oder Griffe zu montieren.
- Achte darauf, dass die Positionen für die Schnelltrennschlinge sicher und stabil sind.

Entsorgungsanweisungen

- Entsorge den Handguard und alle Teile gemäß den örtlichen Vorschriften für Elektroschrott und Metallabfälle.
- Stelle sicher, dass alle nicht mehr benötigten Teile sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Unterstützung zu deinem M5 ATLAS SONE Handguard, wende dich bitte an den Kundendienst von Aero Precision oder besuche die offizielle Webseite.

Bitte beachte, dass diese Sicherheitshinweise nicht alle möglichen Gefahren abdecken können. Sei immer aufmerksam und handle verantwortungsbewusst, um deine Sicherheit und die Sicherheit anderer zu gewährleisten.

Safety Instruction Guide for M5 (.308) ATLAS SONE MLOK Free Floating Handguards

Introduction

Thank you for choosing the M5 (.308) ATLAS SONE MLOK Free Floating Handguards. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure safe use of the handguard in accordance with the EU General Product Safety Regulation (GPSR).
- Be aware of potential hazards associated with the installation and use of the handguard.
- Always follow the manufacturer's instructions to avoid accidents and injuries.
- Keep the handguard out of reach of children and vulnerable individuals.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always inspect the handguard for any visible damage before installation.
- Do not attempt to modify or alter the handguard in any way.
- Ensure that all mounting hardware is properly secured before use.
- Avoid using the handguard with incompatible components, such as nonmilspec AR15 upper receivers.
- Use the handguard only for its intended purpose, which is to provide a lightweight and durable mounting platform for accessories.
- Wear appropriate safety gear, such as eye protection, when installing or using the handguard.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a standard armorers wrench (not included with the handguard).
- Ensure you are in a welllit and safe environment for installation.

2. Installation Steps:

- Remove the existing handguard from your AR308 platform.
- Clean the barrel nut area to ensure a proper fit.
- Align the ATLAS handguard with the barrel nut and ensure the indexing grooves are properly positioned.
- Use the turnbuckle screw to tighten the mirrored tapered locking nuts, ensuring even pressure across the barrel nut.
- Secure the design with the ratcheting detent to prevent any movement during use.
- Doublecheck that all hardware is tight and secure before proceeding.

3. Usage:

- Mount any accessories to the MLOK slots as per the manufacturer's instructions for those accessories.
- Regularly check the tightness of the handguard and accessories during use to ensure safety and performance.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local regulations for recycling and waste disposal.
- If the handguard becomes damaged beyond repair, follow local guidelines for the disposal of aluminum materials.

Contact Information for Further Support

For any safety inquiries or additional support regarding the M5 (.308) ATLAS SONE MLOK Free Floating Handguards, please reach out to the manufacturer's customer service.

By following these safety instructions, you can enjoy the benefits of your new handguard while ensuring a safe experience. Thank you for your attention to safety.